



Mechanics Hand Tools



**GUARANTEED™
FOREVER**



A full line of quality hand tools from the brand trusted for over 100 years.

The wait is over. With 300+ open stock items and numerous multi-piece sets available, the Crescent mechanics hand tool line is one of the most complete on the market. With master set or open-stock availability of pliers, adjustable and combination wrenches, sockets, ratchets, extensions, screwdrivers, and more, this new Crescent line has your mechanics tool needs covered.

Crescent Quality designed into every tool

From the flawless chrome finish of its wrenches, ratchets, and sockets to the perfectly balanced and shaped dual-material handles of its screwdrivers, this line of industrial hand tools has an extraordinarily high level of quality. Crescent Quality tools get jobs done faster and increase overall productivity.

Manufactured for exceptional durability

Crescent mechanics tools are made from chrome vanadium steel alloy, specially formulated and heat-treated for high strength and superior resistance to abrasion and corrosion. Every part of every tool – from the vapor-blasted screwdriver tips to the hardened ratchet gears and pawls – is designed for extremely long life.

*Surface Drive® is a registered trademark of Apex Brands, Inc., a division of Apex Tool Group, LLC.

**SURFACE
DRIVE®**

The box ends of Crescent combination wrenches feature Surface Drive® technology – a design that virtually eliminates rounding of fasteners



The wide selection of Crescent tools satisfies today's rigorous mechanics tool demands.

Tools that always meet the specs

Crescent mechanics tools meet the specs and more. All sockets and ratchets meet or exceed A.N.S.I load specifications. The open-end jaw surfaces on the combination wrenches are parallel to within $\pm 0.001"$. And the tip of every screwdriver is vapor blasted. These additional processes and extra steps result in tools you can count on to be strong, well-designed, and durable enough to get the job done right, time after time.

A set for every situation

Whether you need a full set of tools or are looking for something more compact, Crescent has a set that will fit your requirements. The 170-piece CTK170 master set has an extensive component selection, featuring new heavy-duty blow molded storage case with long-life pro-grade latches.

All Crescent® ratchets have a highly polished chrome finish so they're easy to keep clean and feature a quick release socket retention button so socket change-out is simple and quick.

**GUARANTEED™
FOREVER**

C O N T E N T S

Mechanics Tool Sets.....	4 - 8
Sockets, Ratchets, Drive Tools	8 - 27
Wrenches	28 - 32
Pliers.....	33 - 35
Screwdrivers, Nutdrivers.....	36, 37
Code Red™ Demolition Tools	38, 39
Clamps.....	40
Mechanics Hand Tool Program Displays.....	41 - 45
New Products	46, 47

170 PC. 1/4", 3/8", AND 1/2" DRIVE 6 AND 12 POINT SAE/METRIC MECHANICS TOOL SET (OPEN CASE OR CLOSED)

- Carefully selected assortment of Crescent brand hand tools
- Set contains all the tools needed for most industrial applications including 1/4", 3/8" and 1/2" quick-release ratchets, with a wide selection of standard and deep sockets in the most common SAE and Metric sizes
- All tools in this industrial-quality tool set meet stringent new ANSI and ASME specifications and come with a full satisfaction guarantee
- CTK170CMP same as CTK170MP but case comes closed



Cat. No.	UPC No.	Product Weight	Shelf Pack Qty.
CTK170MP	037103221377	20.20 lb	2
CTK170CMP2	037103221360	36.25 lb	2

Description	Qty.	Description	Qty.
1/4" Drive, 72-Tooth Quick-Release Ratchet	1	1/2" Drive, 5" Extension	1
1/4" Drive, 3" Extension	1	1/2" Drive, 12-Pt. Sockets: 1/2", 9/16", 5/8", 3/4", 7/8", 15, 17, 18, 19, 21 mm	10
1/4" Drive, 6-Pt. Sockets: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 7/16", 1/2", 9/16", 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm	22	Combination Wrenches: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 8, 10, 12, 13, 14, 15 mm	12
3/8" Drive, 72-Tooth Quick-Release Ratchet	1	Pliers: 8" Long Nose Cutting and 10" Tongue & Groove	2
3/8" Drive, 3" Extension	1	Wrench: 8" Adjustable	1
3/8" Drive, 6" Extension	1	Magnetic Screwdrivers: 1/4" x 4" Slotted, 3/16" x 3" Slotted, #2 x 4" Phillips®, #1 x 3" Phillips®	4
3/8" Drive, 3/8" (Female) to 1/4" (Male) Adapter	1	Dura-Driver™ Magnetic Bit Driver	1
3/8" Drive, Spark Plug Sockets: 5/8", 13/16"	2	1" Driver Bits with Holders: Phillips®, Slotted, Torx®, and Hex	44
3/8" Drive, 12-Pt. Sockets: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 6, 7, 8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20 mm	25	SAE Hex Keys with Holder	13
3/8" Drive, 6-Pt. Deep Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 12, 13, 14, 16, 17 mm	12	Metric Hex Keys with Holder	13
1/2" Drive, 72-Tooth Quick-Release Ratchet	1	Storage Case	1



148 PC. 1/4", 3/8", AND 1/2" DRIVE 6 AND 12 POINT SAE/METRIC MECHANICS TOOL SET

- Carefully selected assortment of Crescent brand hand tools
- Set contains all the tools needed for most industrial applications including 1/4", 3/8" and 1/2" quick-release ratchets, with a wide selection of standard and deep sockets in the most common SAE and Metric sizes
- All tools in this industrial-quality tool set meet stringent new ANSI and ASME specifications and come with a full satisfaction guarantee




Cat. No.	UPC No.	Product Weight	Shelf Pack Qty.
CTK148MP	037103200525	15.80 lb	2

Description	Qty.	Description	Qty.
1/4" Drive, 72-Tooth Quick-Release Ratchet	1	1/2" Drive, 72-Tooth Quick-Release Ratchet	1
1/4" Drive, 3" Extension	1	1/2" Drive, 5" Extension	1
1/4" Drive, 6-Pt. Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm	20	1/2" Drive, 12-Pt. Sockets: 1/2", 9/16", 5/8", 3/4", 7/8", 15, 17, 18, 19, 21 mm	10
3/8" Drive, 72-Tooth Quick-Release Ratchet	1	Combination Wrenches: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 8, 10, 12, 13, 14, 15 mm	12
3/8" Drive, 3" Extension	1	Pliers: 8" Long Nose Cutting and 6" Diagonal Cutting	2
3/8" Drive, 6" Extension	1	Magnetic Screwdrivers: 1/4" x 4" Slotted, 3/16" x 3" Slotted, #2 x 4" Phillips®, #1 x 3" Phillips®	4
3/8" Drive, 3/8" (Female) to 1/4" (Male) Adapter	1	Dura-Driver™ Magnetic Bit Driver	1
3/8" Drive, Spark Plug Sockets: 5/8", 13/16"	2	1" Driver Bits with Holders: Phillips®, Slotted, Torx®, and Hex	44
3/8" Drive, 12-Pt. Sockets: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 9, 10, 12, 13, 14, 15, 17, 19 mm	16	SAE Hex Keys with Holder	13
3/8" Drive, 6-Pt. Deep Sockets: 7/16", 1/2", 9/16", 11/16", 3/4", 12mm, 13mm, 14mm, 15mm, 17mm	10	Storage Case	1

128 PC. 3/8" DRIVE 6 AND 12 POINT SAE/METRIC MECHANICS TOOL SET

- Carefully selected assortment of Crescent brand hand tools
- Set contains all the tools needed for most industrial applications including 3/8" quick-release ratchets, with a wide selection of 12-point sockets in the most common SAE and Metric sizes
- All tools in this industrial-quality tool set meet stringent new ANSI and ASME specifications and come with a full satisfaction guarantee




Cat. No.	UPC No.	Product Weight	Shelf Pack Qty.
CTK128MP2	037103235077	13.50 lb	5

Description	Qty.	Description	Qty.
3/8" Drive, 72-Tooth Quick-Release Ratchet	1	Dura-Driver™ Magnetic Bit Driver	1
3/8" Drive, 3" Extension	1	1" Driver Bits with Holders: Phillips®, Slotted, Torx®, Pozidriv®, Square and Hex	44
3/8" Drive, 6" Extension	1	Hex Key Wrench SAE - Chrome Plated: 0.035", 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" with Holder	13
3/8" Drive, Spark Plug Sockets: 5/8", 13/16"	2	Hex Key Wrench Metric - Black Finish: 0.9, 1.3, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6 mm with Holder	13
3/8" Drive, 12-Pt. Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	23	Nut Bits: 7/16", 3/8", 1/4", 11/32", 7/32", 3/16", 6, 7, 8, 9, 10, 11 mm with Holder	14
Combination Wrenches: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 6, 8, 10, 12, 13, 14, 15 mm	14	Storage Case	1



84 PC. 1/4" AND 3/8" DRIVE 6 AND 12 POINT SAE/METRIC MECHANICS TOOL SET

- Carefully selected assortment of Crescent brand hand tools
- Set contains all the tools needed for most industrial applications including 1/4" and 3/8" quick-release ratchets, with a wide selection of standard and deep sockets in the most common SAE and Metric sizes
- All tools in this industrial-quality tool set meet stringent new ANSI and ASME specifications and come with a full satisfaction guarantee




Cat. No.	UPC No.	Product Weight	Case Pack Qty.
CTK84CMP	037103274410	6.83 lb	4

Description	Qty.	Description	Qty.
1/4" Drive, 72-Tooth Quick-Release Ratchet	1	1" Driver Bits with Holders: Phillips®, Slotted, Torx®, and Hex	11
1/4" Drive, 6-Pt. Sockets: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 4, 5, 6, 7, 8, 9, 10, 11 mm	16	Dura-Driver™ Magnetic Bit Driver	1
1/4" Drive, 6-Pt. Deep Sockets: 3/16", 1/4", 5/16", 3/8", 7/16", 6, 8, 10, 11, 12 mm	10	SAE Hex Keys with Holder	9
3/8" Drive, 72-Tooth Quick-Release Ratchet	1	Metric Hex Keys with Holder	9
3/8" Drive, 3" Extension	1	SAE Nut Set with Holder: 3/16", 7/32", 1/4", 11/32", 3/8", 7/16"	7
3/8" Drive, 3/8" (Female) to 1/4" (Male) Adapter	1	Storage Case	1
3/8" Drive, 12-Pt. Sockets: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16, 7/8", 12, 13, 14, 15, 16, 17, 18, 19 mm	16		

70 PC. 1/4" AND 3/8" DRIVE 6 AND 12 POINT SAE/METRIC MECHANICS TOOL SET

- Carefully selected assortment of Crescent brand hand tools
- Set contains 1/4" and 3/8" quick-release ratchets, SAE and metric sockets, 12 SAE and metric combination wrenches, plus 24 other tools; this is one of the most versatile tool selections ever assembled
- All tools in this industrial-quality tool set meet stringent new ANSI and ASME specifications and come with a full satisfaction guarantee



Cat. No.	UPC No.	Product Weight	Shelf Pack Qty.
CTK70MP	037103211101	7.25 lb	4

Description	Qty.	Description	Qty.
1/4" Drive, 72-Tooth Quick-Release Ratchet	1	3/8" (Female) to 1/4" (Male) Adapter	1
1/4" Drive, 3" Extension	1	Combination Wrenches: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 10, 12, 13, 14, 15, 17 mm	12
1/4" Drive, 6-Pt. Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 5, 6, 7, 8, 9, 10, 11, 12 mm	16	SAE Hex Keys with Holder	8
3/8" Drive, 72-Tooth Quick-Release Ratchet	1	Dura-Driver™ Magnetic Bit Driver	1
3/8" Drive, 3" Extension	1	1" Driver Bits with Holders: Phillips®, Slotted, Torx®, and Hex	12
3/8" Drive, 12-Pt. Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 10, 11, 12, 13, 14, 15, 17, 19 mm	16		

CSWS13 45 PC. 1/4" AND 3/8" DRIVE 6 & 12 POINT SAE/METRIC SOCKET WRENCH SET



Description	Qty.
1/4" Drive, Spinner Handle	1
1/4" Drive, 6-Pt. Sockets: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"; 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm	20
3/8" Drive, 72-Tooth Quick-Release Ratchet	1
3/8" Drive, 3" Extension	1
3/8" Drive, 3/8" (Female) to 1/4" (Male) Adapter	1
3/8" Drive, Spark Plug Sockets: 5/8", 13/16"	2
3/8" Drive, 12-Pt. Sockets: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	19
Storage Case	1





1/4" DRIVE

CSWS5 43 PC. 1/4" DRIVE 6 POINT SAE/METRIC STANDARD & DEEP SOCKET WRENCH SET



Description	Qty.
1/4" Drive, 72-Tooth Quick-Release Ratchet	1
1/4" Drive, 3" and 6" Extension	2
1/4" Drive, Spinner Handle	1
1/4" Drive, Universal Joint	1
1/4" Drive, 6-Pt. Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"; 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm	19
1/4" Drive, 6-Pt. Deep Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"; 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm	19
Storage Case	1



CSWS3 22 PC. 1/4" DRIVE 6 POINT METRIC STANDARD & DEEP SOCKET WRENCH SET



Description	Qty.
1/4" Drive, 72-Tooth Quick-Release Ratchet	1
1/4" Drive, 6" Extension	1
1/4" Drive, 6-Pt. Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm	10
1/4" Drive, 6-Pt. Deep Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm	10
Storage Case	1



CSWS2 21 PC. 1/4" DRIVE 6 POINT SAE STANDARD & DEEP SOCKET WRENCH SET



Description	Qty.
1/4" Drive, 72-Tooth Quick-Release Ratchet	1
1/4" Drive, 6" Extension	1
1/4" Drive, 6-Pt. Sockets: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"	10
1/4" Drive, 6-Pt. Deep Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"	9
Storage Case	1



1/4" DRIVE

CSWS0 12 PC. 1/4" DRIVE 6 POINT SAE SOCKET WRENCH SET



Description	Qty.
1/4" Drive, 72-Tooth Quick-Release Ratchet	1
1/4" Drive, 6" Extension	1
1/4" Drive, 6-Pt. Sockets: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"	10
Storage Case	1



CSWS1 20 PC. 1/4" DRIVE 6 POINT SAE/METRIC SOCKET WRENCH SET





Description	Qty.
1/4" Drive, 72-Tooth Quick-Release Ratchet	1
1/4" Drive, 3" Extension	1
1/4" Drive, 6-Pt. Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"; 5, 6, 7, 8, 9, 10, 11, 12, 13 mm	18
Storage Rack	1



10 PC. 1/4" DRIVE 6 POINT STANDARD SOCKET SETS





Cat. No.	System	Description	Qty.
CSAS8	SAE 	1/4" Drive, 6-Pt. SAE Sockets: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", Storage Rack	10
CSAS9	Metric 	1/4" Drive, 6-Pt. Metric Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm, Storage Rack	10



10 PC. 1/4" DRIVE 6 POINT DEEP SOCKET SETS



Cat. No.	System	Description	Qty.
CSAS10	SAE 	1/4" Drive, 6-Pt. SAE Deep Sockets: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", Storage Rack	10
CSAS11	Metric 	1/4" Drive, 6-Pt. Metric Deep Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm, Storage Rack	10





3/8" DRIVE

CSWS10 52 PC. 3/8" DRIVE 6 & 12 POINT SAE/METRIC STANDARD & DEEP SOCKET WRENCH SET



Description	Qty.
3/8" Drive, 72-Tooth Quick-Release Ratchet	1
3/8" Drive, 3" and 6" Extension	2
3/8" Drive, Universal Joint	1
3/8" Drive, Spark Plug Sockets: 5/8"	1
3/8" Drive, 12-Pt. Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"; 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	24
3/8" Drive, 6-Pt. Deep Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"; 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	23
Storage Case	1



CSWS9 27 PC. 3/8" DRIVE 6 & 12 POINT METRIC STANDARD & DEEP SOCKET WRENCH SET



Description	Qty.
3/8" Drive, 72-Tooth Quick-Release Ratchet	1
3/8" Drive, 3" and 6" Extension	2
3/8" Drive, 12-Pt. Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	12
3/8" Drive, 6-Pt. Deep Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	12
Storage Case	1



CSWS8 25 PC. 3/8" DRIVE 6 & 12 POINT SAE STANDARD & DEEP SOCKET WRENCH SET



Description	Qty.
3/8" Drive, 72-Tooth Quick-Release Ratchet	1
3/8" Drive, 3" and 6" Extension	2
3/8" Drive, 12-Pt. Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	11
3/8" Drive, 6-Pt. Deep Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	11
Storage Case	1



3/8" DRIVE

CSWS6 11 PC. 3/8" DRIVE 12 POINT SAE SOCKET WRENCH SET



Description	Qty.
3/8" Drive, 72-Tooth Quick-Release Ratchet	1
3/8" Drive, 6" Extension	1
3/8" Drive, 12-Pt. Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	9
Storage Case	1



CSWS7 20 PC. 3/8" DRIVE 12 POINT SAE/METRIC SOCKET WRENCH SET





Description	Qty.
3/8" Drive, 72-Tooth Quick-Release Ratchet	1
3/8" Drive, 3" Extension	1
3/8" Drive, 12-Pt. Sockets: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"; 9, 10, 11, 12, 13, 14, 15, 17, 19 mm	18
Storage Rack	1



9 PC. 3/8" DRIVE 12 POINT STANDARD SOCKET SETS





Cat. No.	System	Description	Qty.
CSAS4	SAE 	3/8" Drive, 12-Pt. SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", Storage Rack	9
CSAS5	Metric 	3/8" Drive, 12-Pt. Metric Sockets: 9, 10, 11, 12, 13, 14, 15, 17, 19 mm, Storage Rack	9



9 PC. 3/8" DRIVE 6 POINT DEEP SOCKET SETS



Cat. No.	System	Description	Qty.
CSAS6	SAE 	3/8" Drive, 6-Pt. SAE Deep Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", Storage Rack	9
CSAS7	Metric 	3/8" Drive, 6-Pt. Metric Deep Sockets: 9, 10, 11, 12, 13, 14, 15, 17, 19 mm, Storage Rack	9





1/2" DRIVE

CSWS11 12 PC. 1/2" DRIVE 12 POINT SAE SOCKET WRENCH SET



Description	Qty.
1/2" Drive, 72-Tooth Quick-Release Ratchet	1
1/2" Drive, 3" Extension	1
1/2" Drive, 12-Pt. Sockets: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	10
Storage Case	1



CSWS12 12 PC. 1/2" DRIVE 12 POINT SAE SOCKET WRENCH SET



Description	Qty.
1/2" Drive, 72-Tooth Quick-Release Ratchet	1
1/2" Drive, 3" Extension	1
1/2" Drive, 12-Pt. Sockets: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	10
Storage Rack	1



8 PC. 1/2" DRIVE 12 POINT STANDARD SOCKET SETS



Cat. No.	System	Description	Qty.
CSAS0	SAE	1/2" Drive, 12-Pt. SAE Sockets: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", Storage Rack	8
CSAS1	Metric	1/2" Drive, 12-Pt. Metric Sockets: 12, 13, 14, 15, 17, 18, 19, 21 mm, Storage Rack	8





8 PC. 1/2" DRIVE 6 POINT DEEP SOCKET SETS



Cat. No.	System	Description	Qty.
CSAS2	SAE	1/2" Drive, 6-Pt. SAE Deep Sockets: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", Storage Rack	8
CSAS3	Metric	1/2" Drive, 6-Pt. Metric Deep Sockets: 12, 13, 14, 15, 17, 18, 19, 21 mm, Storage Rack	8





10 PC. 3/8" DRIVE FLARE NUT CROWFOOT WRENCH SETS

Cat. No.	System	Description	Qty.
CCFWS0	SAE 	3/8" Drive, SAE Flare Nut Crowfoot Wrenches: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", Plastic Rail	10
CCFWS1	Metric 	3/8" Drive, Metric Flare Nut Crowfoot Wrenches: 9, 10, 11, 12, 13, 14, 15, 17, 18, 19 mm, Plastic Rail	10





3 PC. 3/8" DRIVE FLARE NUT WRENCH SETS

Cat. No.	System	Description	Qty.
CFNWS0	SAE 	3/8" Drive, SAE Flare Nut Wrenches: 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16"	3
CFNWS1	Metric 	3/8" Drive, Metric Flare Nut Wrenches: 9 x 11, 10 x 12, 13 x 14 mm	3



7 PC. 3/8" DRIVE HEX BIT SOCKET SETS

Cat. No.	System	Description	Qty.
CBSS0	SAE 	3/8" Drive, SAE Hex Bit Sockets: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", Storage Rack	7
CBSS1	Metric 	3/8" Drive, Metric Hex Bit Sockets: 3, 4, 5, 6, 7, 8, 10 mm, Storage Rack	7



CBSS2 12 PC. 1/4" & 3/8" DRIVE TORX® BIT SOCKET SET


Description	Qty.
1/4" Drive, Torx® Bit Sockets: T10, T15, T20, T25, T27, T30	6
3/8" Drive, Torx® Bit Sockets: T40, T45, T47, T50, T55, T60	6
Storage Rack	1



TORX® is a registered trademark of Acument Intellectual Properties, LLC.

SOCKET RAILS

- Perfect to store, organize, and easily find all of your sockets
- Drilled at end for easy attachment to wall, workbench, or drawer



Cat. No.	Description	Product Weight	Shelf Pack Qty.
CSR0	1/4" Drive	0.40 lb	12
CSR1	3/8" Drive	0.44 lb	12
CSR2	1/2" Drive	0.46 lb	12



QUICK RELEASE RATCHETS

- 72 Tooth for 5 Degrees of access
- Full polished for comfort
- Chrome Vanadium Alloy Steel for long lasting durability



Cat. No.	Description	Tooth Count	Overall Length	Head Width	Weight
CRW0	1/4" Drive, Quick Release Ratchet	72	7.95 in	2.00 in	0.40 lb
CRW6	3/8" Drive, Quick Release Ratchet	72	10.24 in	2.00 in	0.81 lb
CRW12	1/2" Drive, Quick Release Ratchet	72	12.28 in	2.40 in	1.50 lb

QUICK RELEASE DUAL MATERIAL RATCHETS

- 72 Tooth for 5 Degrees of access
- Dual material grip for added comfort
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Tooth Count	Overall Length	Head Width	Weight
CRW1	1/4" Drive, Quick Release Ratchet, Dual Material	72	8.50 in	2.00 in	0.44 lb
CRW7	3/8" Drive, Quick Release Ratchet, Dual Material	72	10.74 in	2.00 in	0.88 lb
CRW13	1/2" Drive, Quick Release Ratchet, Dual Material	72	12.78 in	2.40 in	1.54 lb

FLEX HEAD RATCHETS

- 72 Tooth for 5 Degrees of access
- Full polished for comfort
- Chrome Vanadium Alloy Steel for long lasting durability



Cat. No.	Description	Tooth Count	Overall Length	Head Width	Weight
CRW10	3/8" Drive, Flex Head Ratchet, Full Polish	72	11.34 in	1.38 in	1.09 lb
CRW14	1/2" Drive, Flex Head Ratchet, Full Polish	72	15.08 in	1.65 in	1.77 lb

CRW11 3/8" DRIVE STUBBY RATCHET

- 72 Tooth for 5 Degrees of access
- Full polished for comfort
- Chrome Vanadium Alloy Steel for long lasting durability



Cat. No.	Description	Tooth Count	Overall Length	Head Width	Weight
CRW11	3/8" Drive, Stubby Ratchet	72	6.89 in	2.00 in	0.59 lb

ROTO RATCHETS

- Ratchet head rotates 180 degrees for greater access when working in confined spaces and around obstructions
- Fine tooth ratchet requires less than 5 Degree swing arc to get fastener started and greater access
- Dual material cushion grip, holds up well against oil and grease, for comfortable non-slip grip



Cat. No.	Description	Tooth Count	Overall Length	Head Width	Weight
CRW2	1/4" Drive, Roto Ratchet	72	6.75 in	1.25 in	0.36 lb
CRW8	3/8" Drive, Roto Ratchet	72	9.84 in	1.72 in	0.85 lb

CRW17 2 PC. ROTO RATCHET SET

- Ratchet head rotates 180 degrees for greater access when working in confined spaces and around obstructions
- Fine tooth ratchet requires less than 5 Degree swing arc to get fastener started and greater access
- Dual material cushion grip, holds up well against oil and grease, for comfortable non-slip grip



Description	Tooth Count	Overall Length	Head Width	Qty.
1/4" Drive, Roto Ratchet	72	6.75 in	1.25 in	1
3/8" Drive, Roto Ratchet	72	9.84 in	1.72 in	1



CRW4 1/4" DRIVE SPINNER HANDLE

- Dual material handle for improved comfort and performance
- Chrome plated blades provide corrosion resistance and easy cleaning
- Hang hole can be used to hang on a wall or with an additional driver to create a T-handle



Cat. No.	Description	Overall Length	Weight
CRW4	1/4" Drive, Spinner Handle	9.25 in	0.20 lb

FLEX HANDLES / BREAKER BARS

- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Overall Length	Weight
CRW5	1/4" Drive, Flex Handle	7.87 in	0.29 lb
CRW15	3/8" Drive, Flex Handle, 10" Breaker Bar	11.81 in	0.73 lb
CRW16	1/2" Drive, Flex Handle, 18" Breaker Bar	19.29 in	1.91 lb
CRW23	3/4" Drive, Flex Handle	21.06 in	3.97 lb



CRW19 3/4" DRIVE RATCHET HANDLE

- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Overall Length	Weight
CRW19	3/4" Drive, Ratchet Handle	22.13 in	5.29 lb

CRW24 3/4" DRIVE SLIDING T-BAR

- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Overall Length	Weight
CRW24	3/4" Drive, 18" Sliding T-Handle	20.08 in	2.94 lb

UNIVERSAL JOINTS

- Maximum operation angle of 45 degrees
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Overall Length	Femal Drive Size	Male Drive Size	Weight
CDTA16	1/4" Drive, Universal Joint	3.70 in	1/4"	1/4"	0.07 lb
CDTA17	3/8" Drive, Universal Joint	4.33 in	3/8"	3/8"	0.15 lb
CDTA18	1/2" Drive, Universal Joint	5.04 in	1/2"	1/2"	0.34 lb

ADAPTERS

- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	Description	Overall Length	Femal Drive Size	Male Drive Size	Weight
CDTA0	1/4" Drive F x 3/8" Drive M, Adapter	3.39 in	1/4"	3/8"	0.05 lb
CDTA1	3/8" Drive F x 1/4" Drive M, Adapter	3.39 in	3/8"	1/4"	0.06 lb
CDTA2	3/8" Drive F x 1/2" Drive M, Adapter	3.74 in	3/8"	1/2"	0.12 lb
CDTA3	1/2" Drive F x 3/8" Drive M, Adapter	3.74 in	1/2"	3/8"	0.12 lb
CDTA4	1/2" Drive F x 3/4" Drive M, Adapter	4.21 in	1/2"	3/4"	0.30 lb
CDTA5	3/4" Drive F x 1/2" Drive M, Adapter	5.12 in	3/4"	1/2"	0.48 lb

CDTA14 3 PC. UNIVERSAL JOINT & ADAPTER SET

Cat. No.	Description	Weight
CDTA14	1/4" Drive, 3/8" Drive Universal Joints, 3/8" F x 1/4" M Adapter	0.28 lb



EXTENSION BARS

- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection

Cat. No.	Description	Overall Length	Weight
CDTA6	1/4" Drive, 2" Extension	4.33 in	0.07 lb
CDTA7	1/4" Drive, 6" Extension	8.27 in	0.16 lb
CDTA8	3/8" Drive, 3" Extension	5.32 in	0.18 lb
CDTA9	3/8" Drive, 6" Extension	8.27 in	0.33 lb
CDTA10	3/8" Drive, 10" Extension	12.28 in	0.53 lb
CDTA11	1/2" Drive, 3" Extension	5.32 in	0.29 lb
CDTA12	1/2" Drive, 5" Extension	7.32 in	0.62 lb
CDTA13	1/2" Drive, 10" Extension	12.28 in	0.88 lb
CRW20	3/4" Drive, 4" Extension	6.89 in	0.95 lb
CRW21	3/4" Drive, 8" Extension	11.02 in	1.76 lb
CRW22	3/4" Drive, 16" Extension	18.50 in	3.42 lb



CDTA15 3 PC. EXTENSION BAR SET

Cat. No.	Description	Weight
CDTA15	3/8" Drive: 3", 6", 10" Extensions	1.04 lb





1/4" DRIVE 6 POINT SAE/METRIC STANDARD LENGTH SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection























Cat. No.	System	Fastener Size	Length	Width	Height	Weight
CDS0	SAE	5/32"	3.35 in	0.47 in	1.69 in	0.04 lb
CDS1	SAE	3/16"	3.35 in	0.47 in	1.69 in	0.04 lb
CDS2	SAE	7/32"	3.35 in	0.47 in	1.69 in	0.05 lb
CDS3	SAE	1/4"	3.35 in	0.47 in	1.69 in	0.05 lb
CDS4	SAE	9/32"	3.35 in	0.47 in	1.69 in	0.05 lb
CDS5	SAE	5/16"	3.35 in	0.47 in	1.69 in	0.05 lb
CDS6	SAE	11/32"	3.35 in	0.47 in	1.69 in	0.05 lb
CDS7	SAE	3/8"	3.35 in	0.47 in	1.69 in	0.06 lb
CDS8	SAE	7/16"	3.35 in	0.59 in	1.69 in	0.07 lb
CDS9	SAE	1/2"	3.35 in	0.59 in	1.69 in	0.08 lb
CDS11	Metric	4 mm	3.35 in	0.47 in	1.69 in	0.04 lb
CDS12	Metric	5 mm	3.35 in	0.47 in	1.69 in	0.04 lb
CDS13	Metric	6 mm	3.35 in	0.47 in	1.69 in	0.04 lb
CDS14	Metric	7 mm	3.35 in	0.47 in	1.69 in	0.04 lb
CDS15	Metric	8 mm	3.35 in	0.47 in	1.69 in	0.04 lb
CDS16	Metric	9 mm	3.35 in	0.59 in	1.69 in	0.05 lb
CDS17	Metric	10 mm	3.35 in	0.59 in	1.69 in	0.05 lb
CDS18	Metric	11 mm	3.35 in	0.67 in	1.69 in	0.07 lb
CDS19	Metric	12 mm	3.35 in	0.71 in	1.69 in	0.07 lb
CDS20	Metric	13 mm	3.35 in	0.71 in	1.69 in	0.08 lb

1/4" DRIVE

1/4" DRIVE 6 POINT SAE/METRIC DEEP LENGTH SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	System	Fastener Size	Length	Width	Height	Weight
CDDS0	SAE 	5/32"	4.33 in	0.51 in	1.69 in	0.06 lb
CDDS1	SAE 	3/16"	4.33 in	0.51 in	1.69 in	0.07 lb
CDDS2	SAE 	7/32"	4.33 in	0.51 in	1.69 in	0.06 lb
CDDS3	SAE 	1/4"	4.33 in	0.51 in	1.69 in	0.06 lb
CDDS4	SAE 	9/32"	4.33 in	0.51 in	1.69 in	0.07 lb
CDDS5	SAE 	5/16"	4.33 in	0.51 in	1.69 in	0.09 lb
CDDS6	SAE 	11/32"	4.33 in	0.51 in	1.69 in	0.08 lb
CDDS7	SAE 	3/8"	4.33 in	0.59 in	1.69 in	0.10 lb
CDDS8	SAE 	7/16"	4.33 in	0.67 in	1.69 in	0.11 lb
CDDS9	SAE 	1/2"	4.33 in	0.71 in	1.69 in	0.13 lb
CDDS11	Metric 	4 mm	4.33 in	0.51 in	1.69 in	0.06 lb
CDDS12	Metric 	5 mm	4.33 in	0.51 in	1.69 in	0.06 lb
CDDS13	Metric 	6 mm	4.33 in	0.51 in	1.69 in	0.07 lb
CDDS14	Metric 	7 mm	4.33 in	0.51 in	1.69 in	0.07 lb
CDDS15	Metric 	8 mm	4.33 in	0.51 in	1.69 in	0.07 lb
CDDS16	Metric 	9 mm	4.33 in	0.51 in	1.69 in	0.08 lb
CDDS17	Metric 	10 mm	4.33 in	0.51 in	1.69 in	0.10 lb
CDDS18	Metric 	11 mm	4.33 in	0.59 in	1.69 in	0.11 lb
CDDS19	Metric 	12 mm	4.33 in	0.67 in	1.69 in	0.13 lb
CDDS20	Metric 	13 mm	4.33 in	0.71 in	1.69 in	0.13 lb



3/8" DRIVE 12 POINT SAE/METRIC STANDARD LENGTH SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection


























Cat. No.	System	Fastener Size	Length	Width	Height	Weight
CDS23	SAE	1/4"	3.50 in	0.63 in	1.69 in	0.07 lb
CDS24	SAE	5/16"	3.50 in	0.63 in	1.69 in	0.07 lb
CDS25	SAE	3/8"	3.50 in	0.63 in	1.69 in	0.07 lb
CDS26	SAE	7/16"	3.50 in	0.63 in	1.69 in	0.07 lb
CDS27	SAE	1/2"	3.50 in	0.71 in	1.69 in	0.08 lb
CDS28	SAE	9/16"	3.50 in	0.79 in	1.69 in	0.09 lb
CDS29	SAE	5/8"	3.50 in	0.79 in	1.69 in	0.11 lb
CDS30	SAE	11/16"	3.50 in	0.91 in	1.69 in	0.13 lb
CDS31	SAE	3/4"	3.50 in	1.02 in	1.69 in	0.15 lb
CDS32	SAE	13/16"	3.50 in	1.10 in	1.69 in	0.19 lb
CDS33	SAE	7/8"	3.50 in	1.18 in	1.69 in	0.22 lb
CDS37	Metric	7 mm	3.50 in	0.71 lb	1.69 in	0.07 lb
CDS38	Metric	8 mm	3.50 in	0.71 lb	1.69 in	0.07 lb
CDS39	Metric	9 mm	3.50 in	0.71 lb	1.69 in	0.07 lb
CDS40	Metric	10 mm	3.50 in	0.71 lb	1.69 in	0.07 lb
CDS41	Metric	11 mm	3.50 in	0.71 lb	1.69 in	0.07 lb
CDS42	Metric	12 mm	3.50 in	0.71 lb	1.69 in	0.07 lb
CDS43	Metric	13 mm	3.50 in	0.71 lb	1.69 in	0.08 lb
CDS44	Metric	14 mm	3.50 in	0.79 lb	1.69 in	0.10 lb
CDS45	Metric	15 mm	3.50 in	0.87 lb	1.69 in	0.12 lb
CDS46	Metric	16 mm	3.50 in	0.87 lb	1.69 in	0.12 lb
CDS47	Metric	17 mm	3.50 in	0.98 lb	1.69 in	0.14 lb
CDS48	Metric	18 mm	3.50 in	0.98 lb	1.69 in	0.14 lb
CDS49	Metric	19 mm	3.50 in	1.10 lb	1.69 in	0.15 lb
CDS51	Metric	21 mm	3.50 in	1.10 lb	1.69 in	0.19 lb
CDS52	Metric	22 mm	3.50 in	1.10 lb	1.69 in	0.21 lb

3/8" DRIVE

3/8" DRIVE 6 POINT SAE/METRIC DEEP LENGTH SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	System	Fastener Size	Length	Width	Height	Weight
CDDS23	SAE 	1/4"	4.88 in	0.67 in	1.69 in	0.15 lb
CDDS24	SAE 	5/16"	4.88 in	0.67 in	1.69 in	0.15 lb
CDDS25	SAE 	3/8"	4.88 in	0.67 in	1.69 in	0.15 lb
CDDS26	SAE 	7/16"	4.88 in	0.67 in	1.69 in	0.15 lb
CDDS27	SAE 	1/2"	4.88 in	0.75 in	1.69 in	0.18 lb
CDDS28	SAE 	9/16"	4.88 in	0.79 in	1.69 in	0.19 lb
CDDS29	SAE 	5/8"	4.88 in	0.91 in	1.69 in	0.23 lb
CDDS30	SAE 	11/16"	4.88 in	0.98 in	1.69 in	0.27 lb
CDDS31	SAE 	3/4"	4.88 in	1.02 in	1.69 in	0.32 lb
CDDS32	SAE 	13/16"	4.88 in	1.10 in	1.69 in	0.36 lb
CDDS33	SAE 	7/8"	4.88 in	1.18 in	4.33 in	0.41 lb
CDDS38	Metric 	8 mm	4.88 in	0.67 in	1.69 in	0.14 lb
CDDS39	Metric 	9 mm	4.88 in	0.67 in	1.69 in	0.14 lb
CDDS40	Metric 	10 mm	4.88 in	0.67 in	1.69 in	0.15 lb
CDDS41	Metric 	11 mm	4.88 in	0.67 in	1.69 in	0.15 lb
CDDS42	Metric 	12 mm	4.88 in	0.71 in	1.69 in	0.16 lb
CDDS43	Metric 	13 mm	4.88 in	0.75 in	1.69 in	0.18 lb
CDDS44	Metric 	14 mm	4.88 in	0.79 in	1.69 in	0.19 lb
CDDS45	Metric 	15 mm	4.88 in	0.83 in	1.69 in	0.21 lb
CDDS46	Metric 	16 mm	4.88 in	0.87 in	1.69 in	0.23 lb
CDDS47	Metric 	17 mm	4.88 in	0.95 in	1.69 in	0.27 lb
CDDS48	Metric 	18 mm	4.88 in	1.02 in	1.69 in	0.31 lb
CDDS49	Metric 	19 mm	4.88 in	1.02 in	1.69 in	0.31 lb



1/2" DRIVE

1/2" DRIVE 12 POINT SAE/METRIC STANDARD LENGTH SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection

























Cat. No.	System	Fastener Size	Length	Width	Height	Weight
CDS53	SAE	7/16"	3.94 in	0.87 in	1.69 in	0.13 lb
CDS54	SAE	1/2"	3.94 in	0.87 in	1.69 in	0.13 lb
CDS55	SAE	9/16"	3.94 in	0.87 in	1.69 in	0.13 lb
CDS56	SAE	5/8"	3.94 in	0.87 in	1.69 in	0.14 lb
CDS57	SAE	11/16"	3.94 in	0.98 in	1.69 in	0.17 lb
CDS58	SAE	3/4"	3.94 in	1.02 in	1.69 in	0.19 lb
CDS59	SAE	13/16"	3.94 in	1.10 in	1.69 in	0.22 lb
CDS60	SAE	7/8"	3.94 in	1.18 in	1.69 in	0.26 lb
CDS61	SAE	15/16"	3.94 in	1.26 in	1.69 in	0.30 lb
CDS62	SAE	1"	4.06 in	1.38 in	1.69 in	0.35 lb
CDS63	SAE	1-1/16"	4.06 in	1.42 in	1.69 in	0.40 lb
CDS64	SAE	1-1/8"	4.06 in	1.50 in	1.69 in	0.45 lb
CDS66	SAE	1-1/4"	4.06 in	1.65 in	1.69 in	0.58 lb
CDS72	Metric	12 mm	3.94 in	0.87 in	1.69 in	0.12 lb
CDS73	Metric	13 mm	3.94 in	0.87 in	1.69 in	0.13 lb
CDS74	Metric	14 mm	3.94 in	0.87 in	1.69 in	0.13 lb
CDS75	Metric	15 mm	3.94 in	0.87 in	1.69 in	0.14 lb
CDS76	Metric	16 mm	3.94 in	0.87 in	1.69 in	0.14 lb
CDS77	Metric	17 mm	3.94 in	0.98 in	1.69 in	0.18 lb
CDS78	Metric	18 mm	3.94 in	1.02 in	1.69 in	0.18 lb
CDS79	Metric	19 mm	3.94 in	1.02 in	1.69 in	0.18 lb
CDS80	Metric	20 mm	3.94 in	1.10 in	1.69 in	0.22 lb
CDS81	Metric	21 mm	3.94 in	1.10 in	1.69 in	0.22 lb
CDS82	Metric	22 mm	3.94 in	1.18 in	1.69 in	0.25 lb
CDS84	Metric	24 mm	3.94 in	1.26 in	1.69 in	0.29 lb
CDS87	Metric	27 mm	3.94 in	1.42 in	1.69 in	0.39 lb

1/2" DRIVE

1/2" DRIVE 6 POINT SAE/METRIC DEEP LENGTH SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	System	Fastener Size	Length	Width	Height	Weight
CDDS55	SAE 	7/16"	5.39 in	0.87 in	1.69 in	0.27 lb
CDDS56	SAE 	1/2"	5.39 in	0.87 in	1.69 in	0.27 lb
CDDS57	SAE 	9/16"	5.39 in	0.87 in	1.69 in	0.27 lb
CDDS58	SAE 	5/8"	5.39 in	0.87 in	1.69 in	0.27 lb
CDDS59	SAE 	11/16"	5.39 in	0.95 in	1.69 in	0.32 lb
CDDS60	SAE 	3/4"	5.39 in	1.06 in	1.69 in	0.38 lb
CDDS61	SAE 	13/16"	5.39 in	1.10 in	1.69 in	0.45 lb
CDDS62	SAE 	7/8"	5.39 in	1.18 in	1.69 in	0.53 lb
CDDS63	SAE 	15/16"	5.39 in	1.26 in	1.69 in	0.59 lb
CDDS64	SAE 	1"	5.39 in	1.34 in	1.69 in	0.69 lb
CDDS65	SAE 	1-1/16"	5.39 in	1.42 in	1.69 in	0.76 lb
CDDS66	SAE 	1-1/8"	5.39 in	1.50 in	1.69 in	0.87 lb
CDDS67	SAE 	1-1/4"	5.39 in	1.69 in	1.69 in	1.05 lb
CDDS71	Metric 	12 mm	5.39 in	0.87 in	1.69 in	0.28 lb
CDDS72	Metric 	13 mm	5.39 in	0.87 in	1.69 in	0.28 lb
CDDS73	Metric 	14 mm	5.39 in	0.87 in	1.69 in	0.28 lb
CDDS74	Metric 	15 mm	5.39 in	0.87 in	1.69 in	0.28 lb
CDDS75	Metric 	16 mm	5.39 in	0.87 in	1.69 in	0.28 lb
CDDS76	Metric 	17 mm	5.39 in	0.95 in	1.69 in	0.33 lb
CDDS77	Metric 	18 mm	5.39 in	1.02 in	1.69 in	0.38 lb
CDDS78	Metric 	19 mm	5.39 in	1.02 in	1.69 in	0.38 lb
CDDS80	Metric 	21 mm	5.39 in	1.10 in	1.69 in	0.48 lb



3/4" DRIVE

3/4" DRIVE 12 POINT SAE STANDARD LENGTH SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	System	Fastener Size	Length	Width	Height	Weight
CDS91	SAE	7/8"	4.92 in	1.42 in	2.36 in	0.47 lb
CDS92	SAE	15/16"	4.92 in	1.42 in	2.36 in	0.47 lb
CDS93	SAE	1"	4.96 in	1.50 in	2.36 in	0.57 lb
CDS94	SAE	1-1/16"	4.96 in	1.50 in	2.36 in	0.51 lb
CDS95	SAE	1-1/8"	4.96 in	1.58 in	2.36 in	0.60 lb
CDS97	SAE	1-1/4"	5.12 in	1.73 in	2.36 in	0.69 lb
CDS98	SAE	1-5/16"	5.16 in	1.81 in	2.36 in	0.74 lb
CDS99	SAE	1-3/8"	5.20 in	1.81 in	2.36 in	0.74 lb
CDS100	SAE	1-7/16"	5.20 in	1.97 in	2.36 in	0.95 lb
CDS101	SAE	1-1/2"	5.32 in	2.05 in	2.36 in	1.07 lb
CDS102	SAE	1-5/8"	5.39 in	2.20 in	2.36 in	1.25 lb
CDS103	SAE	1-11/16"	5.51 in	2.28 in	2.36 in	1.43 lb
CDS104	SAE	1-3/4"	5.51 in	2.36 in	2.36 in	1.43 lb
CDS105	SAE	1-13/16"	5.59 in	2.56 in	2.36 in	1.50 lb
CDS106	SAE	1-7/8"	5.71 in	2.56 in	2.36 in	1.58 lb
CDS107	SAE	2"	5.79 in	2.76 in	2.36 in	1.74 lb

SPARK PLUG SOCKETS

- Surface Drive® technology reduces fastener rounding
- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection













Cat. No.	Drive Size	Fastener Size	Length	Width	Height	Weight
CSPS0	3/8"	5/8"	4.92 in	0.87 in	1.69 in	0.22 lb
CSPS1	3/8"	3/4"	4.88 in	1.02 in	1.69 in	0.32 lb
CSPS2	3/8"	13/16"	4.92 in	1.06 in	1.69 in	0.32 lb
CSPS3	1/2"	5/8"	4.96 in	0.87 in	1.69 in	0.23 lb
CSPS4	1/2"	13/16"	4.96 in	0.87 in	1.69 in	0.34 lb

3/8" DRIVE SAE/METRIC HEX BIT SOCKETS

- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection



Cat. No.	System	Fastener Size	Length	Width	Height	Weight
CHBS0	SAE 	1/8"	4.25 in	0.71 in	1.69 in	0.09 lb
CHBS1	SAE 	5/32"	4.25 in	0.71 in	1.69 in	0.09 lb
CHBS2	SAE 	3/16"	4.25 in	0.71 in	1.69 in	0.09 lb
CHBS3	SAE 	7/32"	4.25 in	0.71 in	1.69 in	0.09 lb
CHBS4	SAE 	1/4"	4.25 in	0.71 in	1.69 in	0.10 lb
CHBS5	SAE 	5/16"	4.25 in	0.71 in	1.69 in	0.11 lb
CHBS6	SAE 	3/8"	4.25 in	0.71 in	1.69 in	0.13 lb
CHBS7	Metric 	4 mm	4.25 in	0.71 in	1.69 in	0.09 lb
CHBS8	Metric 	5 mm	4.25 in	0.71 in	1.69 in	0.09 lb
CHBS9	Metric 	6 mm	4.25 in	0.71 in	1.69 in	0.10 lb
CHBS10	Metric 	7 mm	4.25 in	0.71 in	1.69 in	0.11 lb
CHBS11	Metric 	8 mm	4.25 in	0.71 in	1.69 in	0.11 lb
CHBS12	Metric 	10 mm	4.25 in	0.71 in	1.69 in	0.13 lb

1/4" AND 3/8" DRIVE TORX® BIT SOCKETS

- Chrome Vanadium alloy steel for long lasting durability
- Nickel chrome plated for long lasting protection





Cat. No.	Drive Size	Fastener Size	Length	Width	Height	Weight
CDTS0	1/4"	T-10	3.82 in	0.55 in	1.69 in	0.05 lb
CDTS1	1/4"	T-15	3.82 in	0.55 in	1.69 in	0.05 lb
CDTS2	1/4"	T-20	3.82 in	0.55 in	1.69 in	0.05 lb
CDTS3	1/4"	T-25	3.82 in	0.55 in	1.69 in	0.05 lb
CDTS4	1/4"	T-27	3.82 in	0.55 in	1.69 in	0.05 lb
CDTS5	1/4"	T-30	3.82 in	0.55 in	1.69 in	0.05 lb
CDTS6	3/8"	T-40	4.25 in	0.71 in	1.69 in	0.09 lb
CDTS7	3/8"	T-45	4.25 in	0.71 in	1.69 in	0.11 lb
CDTS8	3/8"	T-47	4.25 in	0.71 in	1.69 in	0.12 lb
CDTS9	3/8"	T-50	4.25 in	0.71 in	1.69 in	0.12 lb
CDTS10	3/8"	T-55	4.25 in	0.71 in	1.69 in	0.12 lb
CDTS11	3/8"	T-60	4.25 in	0.71 in	1.69 in	0.13 lb



8 PC. 1/2" DRIVE 6 POINT IMPACT SOCKET SETS



6

Cat. No.	System	Description	Qty.
CIMS0	SAE 	1/2" Drive, 6-Pt. SAE Impact Sockets: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" Storage Rack	8
CIMS1	Metric 	1/2" Drive, 6-Pt. Metric Impact Sockets: 12, 13, 14, 15, 17, 18, 19, 21 mm, Storage Rack	8



8 PC. 1/2" DRIVE 6 POINT IMPACT DEEP SOCKET SETS

6

Cat. No.	System	Description	Qty.
CIMS2	SAE 	1/2" Drive, 6-Pt. SAE Impact Deep Sockets: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" Storage Rack	8
CIMS3	Metric 	1/2" Drive, 6-Pt. Metric Impact Deep Sockets: 12, 13, 14, 15, 17, 18, 19, 21 mm, Storage Rack	8




Don't see what you're looking for? Our website has you covered.

Oh yes, there's more - so much more - to the Crescent line than what is shown in the pages of this catalog. This is merely a sampling to get you started.

To see the full line of over 300 quality and innovative tools, check out apexhandtools.com/brands/crescent/

































Many more tools, same Crescent Quality



12 PT. SAE/METRIC COMBINATION WRENCHES

- Full polished for comfort and ease of use
- Sizes stamped on both sides for easy reading
- Nickel chrome plated for long lasting protection
- Chrome Vanadium alloy steel for long lasting durability



Cat. No.	System	Fastener Size	Length	Width	Height	Weight
CCW0	SAE 	1/4"	5.00 in	0.51 in	0.24 in	0.06 lb
CCW1	SAE 	5/16"	5.51 in	0.63 in	0.31 in	0.07 lb
CCW3	SAE 	3/8"	6.22 in	0.83 in	0.31 in	0.12 lb
CCW4	SAE 	7/16"	6.50 in	0.89 in	0.31 in	0.15 lb
CCW5	SAE 	1/2"	6.97 in	1.04 in	0.39 in	0.17 lb
CCW6	SAE 	9/16"	7.52 in	1.14 in	0.39 in	0.20 lb
CCW7	SAE 	5/8"	8.19 in	1.30 in	0.47 in	0.29 lb
CCW8	SAE 	11/16"	8.90 in	1.40 in	0.55 in	0.31 lb
CCW9	SAE 	3/4"	9.76 in	1.56 in	0.55 in	0.44 lb
CCW10	SAE 	13/16"	10.67 in	1.73 in	0.63 in	0.62 lb
CCW11	SAE 	7/8"	11.54 in	1.81 in	0.63 in	0.64 lb
CCW12	SAE 	15/16"	12.40 in	1.99 in	0.71 in	0.86 lb
CCW13	SAE 	1"	13.15 in	2.07 in	0.71 in	0.88 lb
CCW14	SAE 	1-1/16"	14.13 in	2.22 in	0.79 in	1.21 lb
CCW15	SAE 	1-1/8"	15.87 in	2.46 in	0.87 in	1.43 lb
CCW16	SAE 	1-1/4"	16.95 in	2.58 in	0.87 in	1.94 lb
CCW18	Metric 	7 mm	5.28 in	0.59 in	0.24 in	0.06 lb
CCW19	Metric 	8 mm	5.51 in	0.63 in	0.31 in	0.07 lb
CCW20	Metric 	9 mm	5.91 in	0.75 in	0.31 in	0.09 lb
CCW21	Metric 	10 mm	6.22 in	0.83 in	0.31 in	0.12 lb
CCW22	Metric 	11 mm	6.50 in	0.89 in	0.31 in	0.15 lb
CCW23	Metric 	12 mm	6.77 in	0.98 in	0.39 in	0.16 lb
CCW24	Metric 	13 mm	6.97 in	1.04 in	0.39 in	0.17 lb
CCW25	Metric 	14 mm	7.52 in	1.14 in	0.39 in	0.20 lb
CCW26	Metric 	15 mm	7.87 in	1.22 in	0.47 in	0.28 lb
CCW27	Metric 	16 mm	8.19 in	1.30 in	0.47 in	0.29 lb
CCW28	Metric 	17 mm	8.90 in	1.40 in	0.55 in	0.31 lb
CCW29	Metric 	18 mm	9.33 in	1.48 in	0.55 in	0.42 lb
CCW30	Metric 	19 mm	9.76 in	1.56 in	0.55 in	0.44 lb
CCW31	Metric 	20 mm	10.43 in	1.63 in	0.63 in	0.61 lb
CCW32	Metric 	21 mm	10.67 in	1.73 in	0.63 in	0.62 lb
CCW33	Metric 	22 mm	11.54 in	1.81 in	0.63 in	0.64 lb
CCW35	Metric 	24 mm	12.40 in	1.99 in	0.71 in	0.86 lb



12 PT. SAE JUMBO COMBINATION WRENCHES

- Sizes stamped on both sides for easy reading
- Chrome Vanadium alloy steel for long lasting durability



Cat. No.	System	Fastener Size	Length	Width	Height	Weight
CJCW0	SAE	1-5/16"	18.70 in	2.68 in	0.87 in	2.23 lb
CJCW1	SAE	1-3/8"	18.70 in	2.68 in	0.87 in	2.40 lb
CJCW2	SAE	1-7/16"	19.69 in	3.03 in	0.98 in	3.18 lb
CJCW3	SAE	1-1/2"	19.69 in	3.03 in	0.98 in	3.34 lb
CJCW4	SAE	1-5/8"	22.83 in	3.31 in	1.06 in	4.21 lb
CJCW5	SAE	1-11/16"	22.83 in	3.31 in	1.06 in	4.45 lb
CJCW6	SAE	1-3/4"	24.02 in	3.66 in	1.18 in	5.27 lb
CJCW7	SAE	1-13/16"	24.02 in	3.66 in	1.18 in	5.51 lb
CJCW8	SAE	1-7/8"	25.59 in	3.82 in	1.38 in	6.68 lb
CJCW9	SAE	2"	25.59 in	3.82 in	1.38 in	6.61 lb

CCWS4 14 PC. 12 PT. SAE COMBINATION WRENCH SET



Description	Qty.
12 Pt., SAE Wrenches: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", Roll	14



CCWS5 15 PC. 12 PT. METRIC COMBINATION WRENCH SET





Description	Qty.
12 Pt., Metric Wrenches: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm, Roll	15



10 PC. 12 PT. POINT SAE/METRIC COMBINATION WRENCH SETS



12

Cat. No.	System	Description	Qty.
CCWS2	SAE 	12 Pt., SAE Wrenches: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", Storage Rack	10
CCWS3	Metric 	12 Pt., Metric Wrenches: 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm, Storage Rack	10



6 PC. 12 PT. POINT SAE/METRIC COMBINATION WRENCH SETS

12

Cat. No.	System	Description	Qty.
CCWS0	SAE 	12 Pt., SAE Wrenches: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", Storage Rack	10
CCWS1	Metric 	12 Pt., Metric Wrenches: 8, 9, 10, 12, 13, 14 mm, Storage Rack	10





CHROME PLATED ADJUSTABLE WRENCHES, SECOND GENERATION

- Wider knurl for easier adjustment
- Sizes stamped on both sides for easy reading
- Wide capacity jaw allows each tool to work with more fastener sizes
- Wider handle provides more comfort and less stress to the hand
- Alloy steel and heat treated, chrome plated finish resists rust and corrosion



Cat. No.	Jaw Capacity	Length	Weight	Packaging
AC24BK	0.50 in	4.00 in	0.87 in	Bagged
AC24VS	0.50 in	4.00 in	0.87 in	Carded
AC26BK	0.94 in	6.00 in	0.98 in	Bagged
AC26VS	0.94 in	6.00 in	0.98 in	Carded

Cat. No.	Jaw Capacity	Length	Weight	Packaging
AC28BK	1.13 in	8.00 in	1.06 in	Bagged
AC28VS	1.13 in	8.00 in	1.06 in	Carded
AC210BK	1.31 in	10.00 in	1.18 in	Boxed

AC2812VS 2 PC. CHROME ADJUSTABLE WRENCH SET, SECOND GENERATION

- Wider knurl for easier adjustment
- Sizes stamped on both sides for easy reading
- Wide capacity jaw allows each tool to work with more fastener sizes
- Wider handle provides more comfort and less stress to the hand
- Alloy steel and heat treated, chrome plated finish resists rust and corrosion



Description	Qty.
Adjustable Wrenches, Chrome: 8", 12"	2

CF1N DISPLAY, CHROME ADJUSTABLE WRENCHES, SECOND GENERATION

Cat. No.	Description	Qty.
AC26VS	Adjustable Wrenches, Chrome: 6"	2
AC28VS	Adjustable Wrenches, Chrome: 8"	2
AC210VS	Adjustable Wrenches, Chrome 10"	2
AC212VS	Adjustable Wrenches, Chrome: 12"	2



TAPERED HANDLE CHROME PLATED ADJUSTABLE WRENCHES, SECOND GENERATION

- Tapered, satin finish handle for better two-hand grip and less weight
- Full polished for comfort and ease of use
- Chrome Vanadium alloy steel for long lasting durability
- Sizes stamped on both sides for easy reading
- Nickel chrome plated for long lasting protection



Cat. No.	Jaw Capacity	Length	Weight	Packaging
AC215BK	1.69 in	15.00 in	3.00 lb	Boxed
AC215VS	1.69 in	15.00 in	3.00 lb	Carded
AC218BK	2.06 in	18.00 in	0.98 in	Boxed

Cat. No.	Jaw Capacity	Length	Weight	Packaging
AC218VS	2.06 in	18.00 in	4.92 lb	Carded
AC224BK	2.44 in	24.00 in	8.71 lb	Boxed

BLACK OXIDE ADJUSTABLE WRENCHES, SECOND GENERATION

- Black oxide finish resists corrosion
- Full polished for comfort and ease of use
- Chrome Vanadium alloy steel for long lasting durability
- Sizes stamped on both sides for easy reading
- Nickel chrome plated for long lasting protection



Cat. No.	Jaw Capacity	Length	Weight	Packaging
AT24BK	0.50 in	4.00 in	0.13 lb	Bagged
AT24VS	0.50 in	4.00 in	0.15 lb	Carded
AT26BK	0.94 in	6.00 in	0.34 lb	Bagged
AT26VS	0.94 in	6.00 in	0.38 lb	Carded
AT28BK	1.13 in	8.00 in	0.60 lb	Bagged

Cat. No.	Jaw Capacity	Length	Weight	Packaging
AT28VS	1.13 in	8.00 in	0.62 lb	Carded
AT210BK	1.31 in	10.00 in	1.06 lb	Boxed
AT210VS	1.31 in	10.00 in	1.06 lb	Carded
AT212BK	1.50 in	12.00 in	1.92 lb	Boxed
AT212VS	1.50 in	12.00 in	1.81 lb	Carded

BLACK OXIDE CUSHION GRIP ADJUSTABLE WRENCHES, SECOND GENERATION

- Polished head and regular handle, non-slip grip
- Black oxide finish resists corrosion
- Full polished for comfort and ease of use
- Chrome Vanadium alloy steel for long lasting durability
- Sizes stamped on both sides for easy reading



Cat. No.	Jaw Capacity	Length	Weight	Packaging
AT26CBK	0.94 in	6.00 in	0.34 lb	Bagged
AT26CVS	0.94 in	6.00 in	0.34 lb	Carded
AT28CBK	1.13 in	8.00 in	0.60 lb	Bagged
AT28CVS	1.13 in	8.00 in	0.62 lb	Carded

Cat. No.	Jaw Capacity	Length	Weight	Packaging
AT210CBK	1.31 in	10.00 in	1.20 lb	Boxed
AT210CVS	1.31 in	10.00 in	1.06 lb	Carded
AT212CBK	1.50 in	12.00 in	1.92 lb	Boxed
AT212CVS	1.50 in	12.00 in	1.91 lb	Carded



CF10 DISPLAY, TONGUE & GROOVE PLIERS

Cat. No.	Description	Qty.
R27CV	Pliers, Tongue & Groove: 7"	4
R210CV	Pliers, Tongue & Groove: 10"	4
R212CV	Pliers, Tongue & Groove: 12"	4
R200SET2	Pliers, Tongue & Groove Set	4



CF3 DISPLAY, MIXED PLIERS

Cat. No.	Description	Qty.
H28VN	Pliers, Slip-Joint, Cee Tee: 8"	2
H26VN	Pliers, Slip-Joint, Cee Tee: 6-1/2"	2
727CVN	Pliers, Solid Joint, End Cut Nippers	2
508CVN	Pliers, Solid Joint, Lineman, Cutter, Cushion Grip	2
5427CVN	Pliers, Solid Joint, Diagonal, Heavy-Duty, Cushion Grip	2
6546CVSMLN	Pliers, Solid Joint, Long Chain Nose	2
9336CVN	Pliers, Diagonal, 6"	2



R200SET3 3 PC. TONGUE & GROOVE PLIERS SET

- More positions for more flexibility and more grip comfort
- Extra wide, straight, jaw openings; angled tooth pattern for better grip
- Unique alloy steel and induction hardening, maximizes durability
- Precision machining and riveted joint provides smooth, positive joint action with no slip
- Self-locking adjustment
- Meets or exceeds ASME B107.23M-2004

Description	Qty.
Tongue & Groove Pliers, Straight Jaw, Cushion Grip: 7", 10", 12"	3



R200SET2 2 PC. TONGUE & GROOVE PLIERS SET

- More positions for more flexibility and more grip comfort
- Extra wide, straight, jaw openings; angled tooth pattern for better grip
- Unique alloy steel and induction hardening, maximizes durability
- Precision machining and riveted joint provides smooth, positive joint action with no slip
- Self-locking adjustment
- Meets or exceeds ASME B107.23M-2004

Description	Qty.
Tongue & Groove Pliers, Straight Jaw, Cushion Grip: 7", 10"	2



CF8 DISPLAY, LOCKING PLIERS

Cat. No.	Description	Qty.
C7SV	Locking Pliers, Straight Jaw: 7"	3
C10SV	Locking Pliers, Straight Jaw: 10"	3
C5CV	Locking Pliers, Curved Jaw, Wire Cutter: 5"	3
C7CV	Locking Pliers, Curved Jaw, Wire Cutter: 7"	3
C10CV	Locking Pliers, Curved Jaw, Wire Cutter: 10"	3
C6NV	Pliers, Long Nose, Wire Cutter: 6"	3
C9NV	Pliers, Long Nose, Wire Cutter: 9"	3



CF9 DISPLAY, LOCKING CLAMPS

Cat. No.	Description	Qty.
C6CCV	Locking C-Clamp, Regular Tips: 6"	3
C6CCSV	Locking C-Clamp, Swivel Pads: 6"	3
C11CCV	Locking C-Clamp, Regular Tips: 11"	2
C11CCSV	Locking C-Clamp, Swivel Pads: 11"	2



CLP5SET 5 PC. LOCKING PLIERS SET, CURVED JAW AND LONG NOSE

- Maximum Jaw Opening Per ASME Specs
- Angled Tooth Pattern for Better Grip
- Nickel-Plated Finish Resists Rust and Corrosion
- Compound Action for Powerful Non-Slip Locking Grip
- Long Nose with Wire Cutter Gets to Hard-To-Reach Spots
- Versatile Curved Jaw Also Features Integral Wire Cutter

Description	Qty.
Long Nose Locking Plier, Wire Cutter: 6", 9"	2
Curved Jaw Locking Plier, Wire Cutter: 5", 7", 10"	3





CLP3SETC 3 PC. CUSHION GRIP CURVED JAW LOCKING PLIERS SET

- Maximum Jaw Opening Per ASME Specs
- Angled Tooth Pattern for Better Grip
- Nickel-Plated Finish Resists Rust and Corrosion
- Compound Action for Powerful Non-Slip Locking Grip
- Versatile Curved Jaw Also Features Integral Wire Cutter

Description	Qty.
Cushion Grip Curved Jaw Locking Plier, Wire Cutter: 5", 7", 10"	3



CLP3SET 3 PC. CURVED JAW LOCKING PLIERS SET

- Maximum Jaw Opening Per ASME Specs
- Angled Tooth Pattern for Better Grip
- Nickel-Plated Finish Resists Rust and Corrosion
- Compound Action for Powerful Non-Slip Locking Grip
- Versatile Curved Jaw Also Features Integral Wire Cutter

Description	Qty.
Curved Jaw Locking Plier, Wire Cutter: 5", 7", 10"	3



X2™ LONG REACH PLIERS

- Long reach pliers with compound action joint for increased access in tight spaces
- Flush rivets for strength and thinner profile
- Dual material grips for added comfort
- Milled grooves in tips grip fasteners and other objects tightly

Cat No.	Description	Qty.
PSX200C	X2 Long Nose Plier	3
PSX201C	X2 Bent Nose Plier	3
PSX203C	X2 Plier Set: Long Nose, Bent Nose	3



CFSD01N2 DISPLAY, SCREWDRIVERS

Cat. No.	Description	Qty.
CSD33V	Screwdriver, 3/16" x 3", Slotted	3
CSD36V	Screwdriver, 3/16" x 6", Slotted	3
CSD41V	Screwdriver, 1/4" x 1-1/4", Slotted	3
CSD44V	Screwdriver, 1/4" x 4", Slotted	3
CSD46V	Screwdriver, 1/4" x 6", Slotted	3
CSD56V	Screwdriver, 5/16" x 6", Slotted	3
CSDP34V	Screwdriver, No. 1 x 4", Phillips	3
CSDP41V	Screwdriver, No. 2 x 1-1/4", Phillips	3
CSDP44V	Screwdriver, No. 2 x 4", Phillips	3
CSDP56V	Screwdriver, No. 3 x 6", Phillips	3
CSD4PC	Screwdriver Set, 4 Pc., Cushion Grip	3



CSD10 10 PC. DUAL MATERIAL COMBINATION SCREWDRIVER SET

- Black oxide tips: strong and durable construction with blasted tip to reduce slippage
- Chrome plated blades: provides corrosion resistance and easy cleaning - sizes laser etched on blade
- Dual material handles: designed for improved comfort and performance
- Hang holes: can be used to hang on a wall or with an additional driver to create a t-handle
- Includes 2 pocket clip screwdrivers

Description	Qty.
Dual Material Screwdriver, Phillips: #1 x 4", #2 x 1-1/4", #2 x 4"	3
Dual Material Screwdriver, Slotted: 3/16" x 3", 3/16" x 6", 1/4" x 1-1/4", 1/4" x 4", 1/4" x 6"	5
Pocket Clip Screwdriver, Phillips: #0 x 2"	1
Pocket Clip Screwdriver, Slotted: 1/8" x 2"	1





CSD6 6 PC. DUAL MATERIAL COMBINATION SCREWDRIVER SET

- Black oxide tips: strong and durable construction with blasted tip to reduce slippage
- Chrome plated blades: provides corrosion resistance and easy cleaning - sizes laser etched on blade
- Dual material handles: designed for improved comfort and performance
- Hang holes: can be used to hang on a wall or with an additional driver to create a t-handle

Description	Qty.
Dual Material Screwdriver, Phillips: #1 x 4", #2 x 4"	2
Dual Material Screwdriver, Slotted: 3/16" x 3", 3/16" x 6", 1/4" x 4", 1/4" x 6"	4



CSD4 PC 4 PC. DUAL MATERIAL COMBINATION SCREWDRIVER SET

- Black oxide tips: strong and durable construction with blasted tip to reduce slippage
- Chrome plated blades: provides corrosion resistance and easy cleaning - sizes laser etched on blade
- Dual material handles: designed for improved comfort and performance
- Hang holes: can be used to hang on a wall or with an additional driver to create a t-handle

Description	Qty.
Dual Material Screwdriver, Phillips: #1 x 4", #2 x 4"	2
Dual Material Screwdriver, Slotted: 3/16" x 3", 1/4" x 4"	2



CND5SAE 5 PC. DUAL MATERIAL, HOLLOW SHAFT NUTDRIVER SET - SAE

- Chrome plated shafts: provides corrosion resistance and easy cleaning - sizes laser etched on blade
- Dual material handles: designed for improved comfort and performance
- Hang holes: can be used to hang on a wall or with an additional driver to create a t-handle


Description	Qty.
Hollow Shaft Nutdrivers: 3/16" x 3", 1/4" x 3", 5/16" x 3", 3/8" x 3", 7/16" x 3"	5



CODE•RED™
 SERIOUS RENOVATION

CRF1 DISPLAY, CODE RED™, INDEXING AND ADJUSTABLE PRY BARS

Cat. No.	Description	Qty.
DB18X	Pry Bar, Indexing, 18"	2
DB30X	Pry Bar, Indexing, 30"	2
DB16	Pry Bar, Adjustable, 16"	2
DB24	Pry Bar, Adjustable, 24"	2
NP11	Plier, Nail Puller, 11"	2


CRF2 DISPLAY, CODE RED™, FLAT AND MOLDING BARS

Cat. No.	Description	Qty.
FB7	Flat Pry Bar, 7"	2
FB13	Flat Pry Bar, 13"	2
FB15	Flat Pry Bar, 15"	2
MB8	Molding Pry Bar, 8"	2
MB10	Molding Pry Bar, 10"	2
MB12	Molding Pry Bar, 12"	2


CODE RED™ ADJUSTABLE PRY BARS

- Recipient of the Popular Mechanics Editor's Choice Award for 2012
- Adjustable jaws slide and clamp to fit onto objects
- Crow bar end with nail puller slot
- Hammer head surface for striking
- Large claw on head that adjusts for leverage in pulling nails

Cat. No.	Description	Weight
DB16	Pry Bar, Adjustable, 16"	3.68 lb
DB24	Pry Bar, Adjustable, 24"	4.43 lb





CODE RED™ INDEXING PRY BARS

- Head indexes over 180 degrees and locks into 16 positions
- Raised striking surface allows for striking to loosen and penetrate
- Angled head with nail slot for prying and pulling nails and boards
- Durable two-tone grip provides comfort, control, and safety
- Narrow jab end for extreme prying and leverage



Cat. No.	Description	Weight
DB18X	Pry Bar, Indexing, 18"	3.00 lb
DB30X	Pry Bar, Indexing, 24"	4.10 lb

NP11 CODE RED™ NAIL PULLING PLIERS

- Powerful jaws and curved foot pull out stubborn nails and staples with ease
- Dual handles make it quick and easy to grip, roll, and remove nails or staples
- Forged steel head and handles create a durable tool with rubber grips for comfort and control



Cat. No.	Description	Weight
NP11	Nail Pulling Pliers, 11"	1.50 lb

CODE RED™ FLAT PRY BARS

- Precision ground ends for nail pulling with less material damage
- Nail slot in end and center for access to pulling nails
- Durable high visibility Red finish is corrosion-resistant



Cat. No.	Description	Weight
FB7	Flat Pry Bar, 7"	0.27 lb
FB13	Flat Pry Bar, 13"	1.46 lb
FB15	Flat Pry Bar, 15"	1.59 lb

CODE RED™ MOLDING PRY BARS

- Precision ground ends for nail pulling with less material damage
- Nail slot in both claw and pry ends for access to pulling nails
- Durable high visibility Red finish is corrosion-resistant
- Striking face has ground surface for precision nailing



Cat. No.	Description	Weight
MB8	Molding Pry Bar, 8"	0.50 lb
MB10	Molding Pry Bar, 10"	0.76 lb
MB12	Molding Pry Bar, 12"	0.80 lb

CONNECT MODULAR HAND CLAMPS

- Modularity - Slot that enables clamp to attach to other clamp and rotate for 360 degree clamp angle
- Force - 500 lbs. holding clamp force
- Access - Pipe teeth grip round stock keeping it from twisting while cutting
- Speed - Quick change end slides up to convert clamp to a spreader
- Comfort - Rubber textured grips for comfort and traction when clamping
- Versatility - Twin Lock connector for multiple angles and height clamping with 2 clamps



Cat. No.	Description	Weight	Shelf Pack Qty.
CCTL100	Crescent 3" Twin Lock Connector	0.34 lb	6
CC6PVAD	Crescent 6" Connect Hand Clamp Set	3.49 lb	2
CC12PVAD	Crescent 12" Connect Hand Clamp Set	4.00 lb	2





MECHANICS HAND TOOL PROGRAM DISPLAYS

- Crescent professional tool sets feature 72 tooth ratchet drives for a 5° swing that is perfect in tight space
- Perfect for homeowners and professionals
- All tools are industrial quality and meet stringent ANSI and ASME specifications
- Dimensions: 21" wide, 27" long



CMHT14 47 PC. 1/4" DRIVE WATERFALL


Cat. No.	Description
CDS7	1/4" Dr. Socket, 6 Pt., 3/8"
CDS8	1/4" Dr. Socket, 6 Pt., 7/16"
CDS9	1/4" Dr. Socket, 6 Pt., 1/2"
CDDS0	1/4" Dr. Socket, Deep, 6 Pt., 5/32"
CDDS1	1/4" Dr. Socket, Deep, 6 Pt., 3/16"
CDDS2	1/4" Dr. Socket, Deep, 6 Pt., 7/32"
CDDS3	1/4" Dr. Socket, Deep, 6 Pt., 1/4"
CDDS4	1/4" Dr. Socket, Deep, 6 Pt., 9/32"
CDDS5	1/4" Dr. Socket, Deep, 6 Pt., 5/16"
CDDS6	1/4" Dr. Socket, Deep, 6 Pt., 11/32"
CDDS7	1/4" Dr. Socket, Deep, 6 Pt., 3/8"
CDDS8	1/4" Dr. Socket, Deep, 6 Pt., 7/16"
CDDS9	1/4" Dr. Socket, Deep, 6 Pt., 1/2"
CDS11	1/4" Dr. Socket, 6 Pt., 4 mm
CDS12	1/4" Dr. Socket, 6 Pt., 5 mm
CDS13	1/4" Dr. Socket, 6 Pt., 6 mm
CDS14	1/4" Dr. Socket, 6 Pt., 7 mm
CDS15	1/4" Dr. Socket, 6 Pt., 8 mm
CDS16	1/4" Dr. Socket, 6 Pt., 9 mm
CDS17	1/4" Dr. Socket, 6 Pt., 10 mm
CDS18	1/4" Dr. Socket, 6 Pt., 11 mm

Cat. No.	Description
CDS19	1/4" Dr. Socket, 6 Pt., 12 mm
CDS20	1/4" Dr. Socket, 6 Pt., 13 mm
CDDS11	1/4" Dr. Socket, Deep 6 Pt., 4 mm
CDDS12	1/4" Dr. Socket, Deep 6 Pt., 5 mm
CDDS13	1/4" Dr. Socket, Deep 6 Pt., 6 mm
CDDS14	1/4" Dr. Socket, Deep 6 Pt., 7 mm
CDDS15	1/4" Dr. Socket, Deep 6 Pt., 8 mm
CDDS16	1/4" Dr. Socket, Deep 6 Pt., 9 mm
CDDS17	1/4" Dr. Socket, Deep 6 Pt., 10 mm
CDDS18	1/4" Dr. Socket, Deep 6 Pt., 11 mm
CDDS19	1/4" Dr. Socket, Deep 6 Pt., 12 mm
CDDS20	1/4" Dr. Socket, Deep 6 Pt., 13 mm
CRW0	1/4" Dr., 72 Tooth, Quick Release Ratchet, Full Polish
CRW1	1/4" Dr., 72 Tooth, Quick Release Ratchet, Dual Material
CDTA6	1/4" Dr., Extension, 3"
CDTA7	1/4" Dr., Extension, 6"
CRW4	1/4" Dr, Spinner Handle
CRW5	1/4". Dr., Flex Handle, 6"
CDTA0	1/4" F x 3/8" M Adapter
CDTA16	1/4" Dr., Universal Joint
	Display Rack and Backer

CMHT38 52 PC. 3/8" DRIVE WATERFALL

Cat. No.	Description
CDS25	3/8" Dr. Socket, 12 Pt., 3/8"
CDS26	3/8" Dr. Socket, 12 Pt., 7/16"
CDS27	3/8" Dr. Socket, 12 Pt., 1/2"
CDS28	3/8" Dr. Socket, 12 Pt., 9/16"
CDS29	3/8" Dr. Socket, 12 Pt., 5/8"
CDS30	3/8" Dr. Socket, 12 Pt., 11/16"
CDS31	3/8" Dr. Socket, 12 Pt., 3/4"
CDS32	3/8" Dr. Socket, 12 Pt., 13/16"
CDS33	3/8" Dr. Socket, 12 Pt., 7/8"
CSPS0	3/8" Dr., Spark Plug Socket, 5/8"
CSPS2	3/8" Dr., Spark Plug Socket, 13/16"
CDS39	3/8" Dr. Socket, 12 Pt., 9 mm
CDS40	3/8" Dr. Socket, 12 Pt., 10 mm
CDS41	3/8" Dr. Socket, 12 Pt., 11 mm
CDS42	3/8" Dr. Socket, 12 Pt., 12 mm
CDS43	3/8" Dr. Socket, 12 Pt., 13 mm
CDS44	3/8" Dr. Socket, 12 Pt., 14 mm
CDS45	3/8" Dr. Socket, 12 Pt., 15 mm
CDS46	3/8" Dr. Socket, 12 Pt., 16 mm
CDS47	3/8" Dr. Socket, 12 Pt., 17 mm
CDS48	3/8" Dr. Socket, 12 Pt., 18 mm

Cat. No.	Description
CDS49	3/8" Dr. Socket, 12 Pt., 19 mm
CDS51	3/8" Dr. Socket, 12 Pt., 21 mm
CDDS39	3/8" Dr. Socket, Deep 12 Pt., 9 mm
CDDS40	3/8" Dr. Socket, Deep 12 Pt., 10 mm
CDDS41	3/8" Dr. Socket, Deep 12 Pt., 11 mm
CDDS42	3/8" Dr. Socket, Deep 12 Pt., 12 mm
CDDS43	3/8" Dr. Socket, Deep 12 Pt., 13 mm
CDDS44	3/8" Dr. Socket, Deep 12 Pt., 14 mm
CDDS45	3/8" Dr. Socket, Deep 12 Pt., 15 mm
CDDS46	3/8" Dr. Socket, Deep 12 Pt., 16 mm
CDDS47	3/8" Dr. Socket, Deep 12 Pt., 17 mm
CDDS48	3/8" Dr. Socket, Deep 12 Pt., 18 mm
CD3S49	3/8" Dr. Socket, Deep 12 Pt., 19 mm
CRW6	3/8" Dr., 72 Tooth, Quick Rel, Full Polish
CRW7	3/8" Dr., 72 Tooth, Quick Rel, Dual Material
CDTA8	3/8" Dr., Extension, 3"
CDTA9	3/8" Dr., Extension, 6"
CDTA10	3/8" Dr., Extension, 10"
CDTA1	3/8" F x 1/4" M Adapter
CDTA2	3/8" F x 1/2" M Adapter



Cat. No.	Description
CDTA17	3/8" Dr., Universal Joint
CDDS25	3/8" Dr., Deep, Socket, 6 Pt., 3/8"
CDDS26	3/8" Dr., Deep, Socket, 6 Pt., 7/16"
CDDS27	3/8" Dr., Deep, Socket, 6 Pt., 1/2"
CDDS28	3/8" Dr., Deep, Socket, 6 Pt., 9/16"
CDDS29	3/8" Dr., Deep, Socket, 6 Pt., 5/8"
CDDS30	3/8" Dr., Deep, Socket, 6 Pt., 11/16"
CDDS31	3/8" Dr., Deep, Socket, 6 Pt., 3/4"
CDDS32	3/8" Dr., Deep, Socket, 6 Pt., 13/16"
CDDS33	3/8" Dr., Deep, Socket, 6 Pt., 7/8"
	Display Rack and Backer

CMHT12 58 PC. 1/2" DRIVE WATERFALL

Cat. No.	Description
CDDS55	1/2" Dr. Socket, Deep, 6 Pt., 7/16"
CDDS56	1/2" Dr. Socket, Deep, 6 Pt., 1/2"
CDDS57	1/2" Dr. Socket, Deep, 6 Pt., 9/16"
CDDS58	1/2" Dr. Socket, Deep, 6 Pt., 5/8"
CDDS59	1/2" Dr. Socket, Deep, 6 Pt., 11/16"
CDDS60	1/2" Dr. Socket, Deep, 6 Pt., 3/4"
CDDS61	1/2" Dr. Socket, Deep, 6 Pt., 13/16"
CDDS62	1/2" Dr. Socket, Deep, 6 Pt., 7/8"
CDDS63	1/2" Dr. Socket, Deep, 6 Pt., 15/16"
CDDS64	1/2" Dr. Socket, Deep, 6 Pt., 1"
CDDS65	1/2" Dr. Socket, Deep, 6 Pt., 1-1/16"
CDDS66	1/2" Dr. Socket, Deep, 6 Pt., 1-1/8"
CDDS67	1/2" Dr. Socket, Deep, 6 Pt., 1-1/4"
CDS53	1/2" Dr. Socket, 12 Pt., 7/16"
CDS54	1/2" Dr. Socket, 12 Pt., 1/2"
CDS55	1/2" Dr. Socket, 12 Pt., 9/16"
CDS56	1/2" Dr. Socket, 12 Pt., 5/8"
CDS57	1/2" Dr. Socket, 12 Pt., 11/16"
CDS58	1/2" Dr. Socket, 12 Pt., 3/4"
CDS59	1/2" Dr. Socket, 12 Pt., 13/16"

Cat. No.	Description
CDS60	1/2" Dr. Socket, 12 Pt., 7/8"
CDS61	1/2" Dr. Socket, 12 Pt., 15/16"
CDS62	1/2" Dr. Socket, 12 Pt., 1"
CDS63	1/2" Dr. Socket, 12 Pt., 1-1/16"
CDS64	1/2" Dr. Socket, 12 Pt., 1-1/8"
CDS66	1/2" Dr. Socket, 12 Pt., 1-1/4"
CSPS3	1/2" Dr., Spark Plug Socket, 5/8"
CSPS4	1/2" Dr., Spark Plug Socket, 13/16"
CDS72	1/2" Dr. Socket, 12 Pt., 12 mm
CDS73	1/2" Dr. Socket, 12 Pt., 13 mm
CDS74	1/2" Dr. Socket, 12 Pt., 14 mm
CDS75	1/2" Dr. Socket, 12 Pt., 15 mm
CDS76	1/2" Dr. Socket, 12 Pt., 16 mm
CDS77	1/2" Dr. Socket, 12 Pt., 17 mm
CDS78	1/2" Dr. Socket, 12 Pt., 18 mm
CDS79	1/2" Dr. Socket, 12 Pt., 19 mm
CDS80	1/2" Dr. Socket, 12 Pt., 20 mm
CDS81	1/2" Dr. Socket, 12 Pt., 21 mm
CDS82	1/2" Dr. Socket, 12 Pt., 22 mm
CDS84	1/2" Dr. Socket, 12 Pt., 24 mm

Cat. No.	Description
CDS87	1/2" Dr. Socket, 12 Pt., 27 mm
CDDS72	1/2" Dr. Socket, Deep, 6 Pt., 13 mm
CDDS73	1/2" Dr. Socket, Deep, 6 Pt., 14 mm
CDDS74	1/2" Dr. Socket, Deep, 6 Pt., 15 mm
CDDS75	1/2" Dr. Socket, Deep, 6 Pt., 16 mm
CDDS76	1/2" Dr. Socket, Deep, 6 Pt., 17 mm
CDDS77	1/2" Dr. Socket, Deep, 6 Pt., 18 mm
CDDS78	1/2" Dr. Socket, Deep, 6 Pt., 19 mm
CDDS80	1/2" Dr. Socket, Deep, 6 Pt., 21 mm
CRW12	1/2" Dr., 60-72 Tooth, Quick Rel, Full Polish
CRW13	1/2" Dr., 60-72 Tooth, Quick Rel, Dual Material
CDTA11	1/2" Dr., Extension, 3"
CDTA12	1/2" Dr., Extension, 5"
CDTA13	1/2" Dr., Extension, 10"
CRW16	1/2" Dr. Flex Handle, 18"
CDTA3	1/2" F x 3/8" M Adapter
CDTA4	1/2" F x 3/4" M Adapter
CDTA18	1/2" Dr., Universal Joint
	Display Rack and Backer



CMHTCW 32 PC. COMBINATION WRENCH WATERFALL

Cat. No.	Description
CCW0	Combination Wrench, 1/4"
CCW1	Combination Wrench, 5/16"
CCW3	Combination Wrench, 3/8"
CCW4	Combination Wrench, 7/16"
CCW5	Combination Wrench, 1/2"
CCW6	Combination Wrench, 9/16"
CCW7	Combination Wrench, 5/8"
CCW8	Combination Wrench, 11/16"
CCW9	Combination Wrench, 3/4"
CCW10	Combination Wrench, 13/16"
CCW11	Combination Wrench, 7/8"
CCW12	Combination Wrench, 15/16"
CCW13	Combination Wrench, 1"

Cat. No.	Description
CCW14	Combination Wrench, 1-1/16"
CCW15	Combination Wrench, 1-1/8"
CCW16	Combination Wrench, 1-1/4"
CCW18	Combination Wrench, 7 mm
CCW19	Combination Wrench, 8 mm
CCW20	Combination Wrench, 9 mm
CCW21	Combination Wrench, 10 mm
CCW24	Combination Wrench, 13 mm
CCW25	Combination Wrench, 14 mm
CCW26	Combination Wrench, 15 mm
CCW27	Combination Wrench, 16 mm
CCW22	Combination Wrench, 11 mm
CCW23	Combination Wrench, 12 mm



Cat. No.	Description
CCW28	Combination Wrench, 17 mm
CCW29	Combination Wrench, 18 mm
CCW30	Combination Wrench, 19 mm
CCW31	Combination Wrench, 20 mm
CCW32	Combination Wrench, 21 mm
CCW33	Combination Wrench, 22 mm
	Display Rack and Backer

CMHT34 23 PC. 3/4" DRIVE DISPLAY

Cat. No.	Description
CRW19	3/4" Dr. Ratchet Handle
CRW20	3/4" Dr., Extension, 4"
CRW21	3/4" Dr., Extension, 8"
CRW22	3/4" Dr., Extension, 16"
CRW23	3/4" Dr., Flex Handle, 19"
CRW24	3/4" Dr., Sliding T-Bar, 18"
CDTA5	3/4" F x 12" M Adapter
CDS91	3/4" Dr., Socket, 12 Pt., 7/8"
CDS92	3/4" Dr., Socket, 12 Pt., 15/16"
CDS93	3/4" Dr., Socket, 12 Pt., 1"

Cat. No.	Description
CDS94	3/4" Dr., Socket, 12 Pt., 1-1/16"
CDS95	3/4" Dr., Socket, 12 Pt., 1-1/8"
CDS97	3/4" Dr., Socket, 12 Pt., 1-1/4"
CDS98	3/4" Dr., Socket, 12 Pt., 1-5/16"
CDS99	3/4" Dr., Socket, 12 Pt., 1-3/8"
CDS100	3/4" Dr., Socket, 12 Pt., 1-7/16"
CDS101	3/4" Dr., Socket, 12 Pt., 1-1/2"
CDS102	3/4" Dr., Socket, 12 Pt., 1-5/8"
CDS103	3/4" Dr., Socket, 12 Pt., 1-3/4"
CDS104	3/4" Dr., Socket, 12 Pt., 1-11/16"



Cat. No.	Description
CDS105	3/4" Dr., Socket, 12 Pt., 1-13/16"
CDS106	3/4" Dr., Socket, 12 Pt., 1-7/8"
CDS107	3/4" Dr., Socket, 12 Pt., 2"

CMHTHTB 27 PC. HEX AND TORX® BIT SOCKET DISPLAY

Cat. No.	Description
CBSS0	3/8" Dr., 7 Pc. Hex Bit Socket Set, SAE
CBSS1	3/8" Dr., 7 Pc. Hex Bit Socket Set, MM
CBSS2	1/4" & 3/8" Dr., 12 Pc. Torx Bit Socket Set, SAE
CDTS0	1/4" Dr., Internal Torx Socket, T-10
CDTS1	1/4" Dr., Internal Torx Socket, T-15
CDTS2	1/4" Dr., Internal Torx Socket, T-20
CDTS3	1/4" Dr., Internal Torx Socket, T-25
CDTS4	1/4" Dr., Internal Torx Socket, T-27
CDTS5	1/4" Dr., Internal Torx Socket, T-30
CDTS6	3/8" Dr., Internal Torx Socket, T-40
CDTS7	3/8" Dr., Internal Torx Socket, T-45

Cat. No.	Description
CDTS8	3/8" Dr., Internal Torx Socket, T-47
CDTS9	3/8" Dr., Internal Torx Socket, T-50
CDTS10	3/8" Dr., Internal Torx Socket, T-55
CDTS11	3/8" Dr., Internal Torx Socket, T-60
CHBS0	3/8" Dr., Hex Bit Socket, 1/8"
CHBS1	3/8" Dr., Hex Bit Socket, 5/32"
CHBS2	3/8" Dr., Hex Bit Socket, 3/16"
CHBS3	3/8" Dr., Hex Bit Socket, 7/32"
CHBS4	3/8" Dr., Hex Bit Socket, 1/4"
CHBS5	3/8" Dr., Hex Bit Socket, 5/16"
CHBS6	3/8" Dr., Hex Bit Socket, 3/8"



Cat. No.	Description
CHBS7	3/8" Dr., Hex Bit Socket, 4 mm
CHBS8	3/8" Dr., Hex Bit Socket, 5 mm
CHBS9	3/8" Dr., Hex Bit Socket, 6 mm
CHBS10	3/8" Dr., Hex Bit Socket, 7 mm
CHBS11	3/8" Dr., Hex Bit Socket, 8 mm
CHBS12	3/8" Dr., Hex Bit Socket, 10 mm

TORX® is a registered trademark of Acument Intellectual Properties, LLC.

CMHTSWS 21 PC. SOCKET AND WRENCH SET DISPLAY

Cat. No.	Description
CSWS1	1/4" Dr., 22 Pc. Socket Wrench Set, SAE/MM
CSWS7	3/8" Dr., 20 Pc. Socket Wrench Set, SAE/MM
CSWS12	1/2" Dr., 12 Pc. Socket Wrench Set, SAE
CSAS8	1/4" Dr., 10 Pc. Socket Set, 6 Pt., SAE (5/32" - 1/2")
CSAS9	1/4" Dr., 10 Pc. Socket Set, 6 Pt., MM (4 - 13 mm)
CSAS10	1/4" Dr., 10 Pc. Deep Socket Set, 6 Pt., SAE (5/32" - 1/2")
CSAS11	1/4" Dr., 10 Pc. Deep Socket Set, 6 Pt., MM (4 - 13 mm)
CSAS4	3/8" Dr., 9 Pc. Socket Set, 12 Pt., SAE (1/4" - 3/4")
CSAS5	3/8" Dr., 9 Pc. Socket Set, 12 Pt., MM (9 - 19 mm)
CSAS6	3/8" Dr., 9 Pc. Deep Socket Set, 6 Pt., SAE (1/4" - 3/4")
CSAS7	3/8" Dr., 9 Pc. Deep Socket Set, 6 Pt., MM (9 - 19 mm)
CSAS0	1/2" Dr., 8 Pc. Socket Set, SAE (1/2" - 15/16")
CSAS1	1/2" Dr., 8 Pc. Socket Set, MM (12 - 21 mm)
CSAS2	1/2" Dr., 8 Pc. Deep Socket Set, SAE (1/2" - 15/16")
CSAS3	1/2" Dr., 8 Pc. Deep Socket Set, MM (12 - 21 mm)
CIMS0	1/2" Dr., 8 Pc. Impact Socket Set, SAE
CIMS1	1/2" Dr., 8 Pc. Impact Socket Set, MM



Cat. No.	Description
CIMS2	1/2" Dr., 8 Pc. Impact Deep Socket Set, SAE
CIMS3	1/2" Dr., 8 Pc. Impact Deep Socket Set, MM
CCWS2	10 Pc. Combination Wrench Set, SAE
CCWS3	10 Pc. Combination Wrench Set, MM

CMHTIN 8 PC. INNOVATION DISPLAY

Cat. No.	Description
ATR28	Wrench, Adjustable Ratcheting, 8"
CX6PT20	20 Pc. Ratchet and Socket Set, SAE/MM
CX6RWS7	7 Pc. Ratcheting Open End Wrench Set, SAE
CX6RWM7	7 Pc. Ratcheting Open End Wrench Set, MM

Cat. No.	Description
CFW2	Folding Flip and Grip Wrench
CX6DBM2	2 Pc. Wrench Set, Double Box Ratcheting, MM
CX6DBS2	2 Pc. Ratcheting Wrench Set, 4-in-1, SAE, DB
ACL28VS	Lighted Adjustable Wrench

CRESCENT MHT ADDITIONAL OPEN STOCK

SOCKET WRENCH SETS

Cat. No.	Description
CSWS0	1/4" Dr., 12 Pc. Socket Wrench Set, SAE
CSWS2	1/4" Dr., 21 Pc. Socket Wrench Set, STD/Deep, SAE
CSWS3	1/4" Dr., 22Pc. Socket Wrench Set, STD/Deep, MM
CSWS5	1/4" Dr., 43 Pc. Socket Wrench Set, STD/Deep, SAE/MM
CSWS6	3/8" Dr., 11 Pc. Socket Wrench Set, SAE
CSWS8	3/8" Dr., 25 Pc. Socket Wrench Set, STD/Deep, SAE
CSWS9	3/8" Dr., 25 Pc. Socket Wrench Set, STD/Deep, MM
CSWS10	3/8" Dr., 52 Pc. Socket Set, SAE/MM, Deep
CSWS11	1/2" Dr., 12 Pc. Socket Wrench Set, SAE
CSWS13	1/4" & 3/8" Dr., 45 Pc. Socket Set

WRENCH SETS

Cat. No.	Description
CCWS0	Combination Wrench Set, 6 Pc., SAE
CCWS1	Combination Wrench Set, 6 Pc., MM
CCWS4	Combination Wrench Set, 14 Pc., SAE
CCWS5	Combination Wrench Set, 15 Pc., MM
CCFWS0	Crowfoot Wrench Set, 10 Pc., SAE
CCFWS1	Crowfoot Wrench Set, 10 Pc., MM
CFNWS0	Flare Nut Wrench Set, 3 Pc., SAE
CFNWS1	Flare Nut Wrench Set, 3 Pc., MM

SOCKET RAILS

Cat. No.	Description
CSR0	1/4" Dr., Socket Rail
CSR1	3/8" Dr., Socket Rail
CSR2	1/2" Dr., Socket Rail



**GUARANTEED™
FOREVER**

Mechanics Hand Tools

CRESCENT MHT ADDITIONAL OPEN STOCK

DRIVE TOOLS

Cat. No.	Description
CRW10	3/8" Dr., Flex Head Ratchet with Polished Handle
CRW11	3/8" Dr., Stubby Ratchet with Polished Handle
CRW14	1/2" Dr., Flex Head Ratchet with Polished Handle
CRW15	3/8" Dr., Flex Handle, 10"
CDTA14	3 Pc. Set, 1/4" & 3/8" Universal Joint, 3/8" x 1/4" Adapter
CDTA15	3/8" Dr., 3 Pc. Extension Bar Set

SOCKETS

Cat. No.	Description
CDS0	1/4" Dr., Socket, 6 Pt., 1/4"
CDS23	3/8" Dr., Socket, 12 Pt., 1/4"
CDS24	3/8" Dr., Socket, 12 Pt., 5/16"
CDS37	3/8" Dr., Socket, 12 Pt., 7 mm
CDS38	3/8" Dr., Socket, 12 Pt., 8 mm
CDS52	3/8" Dr., Socket, 12 Pt., 22 mm
CDDS23	3/8" Dr., Deep Socket, 6 Pt., 1/4"
CDDS24	3/8" Dr., Deep Socket, 6 Pt., 5/16"
CDDS38	3/8" Dr., Deep Socket, 6 Pt., 8 mm
CSPS1	3/8" Dr., Sparkplug Socket, 3/4"
CDDS71	1/2" Dr., Deep Socket, 6 Pt., 12 mm

CMHTSWSIND INDUSTRIAL SOCKET WRENCH SET DISPLAY

Cat. No.	Description
CSWS0	1/4" Dr., 12 Pc. Socket Wrench Set, SAE
CSWS2	1/4" Dr., 21 Pc. Socket Wrench Set, STD/Deep, SAE
CSWS6	3/8" Dr., 11 Pc. Socket Wrench Set, SAE
CSWS8	3/8" Dr., 25 Pc. Socket Wrench Set, STD/Deep, SAE
CSWS11	1/2" Dr., 12 Pc. Socket Wrench Set, SAE
CSWS13	1/4" & 3/8" Dr., 45 Pc. Socket Set

CMHTWRS INDUSTRIAL WRENCH SET DISPLAY

Cat. No.	Description
CCWS0	Combination Wrench Set, 6 Pc., SAE
CCWS1	Combination Wrench Set, 6 Pc., MM
CCWS2	Combination Wrench Set, 10 Pc., SAE
CCWS3	Combination Wrench Set, 10 Pc., MM
CCWS4	Combination Wrench Set, 14 Pc., SAE
CCWS5	Combination Wrench Set, 15 Pc., MM
CFNWS0	Flare Nut Wrench Set, 3 Pc., SAE
CFNWS1	Flare Nut Wrench Set, 3 Pc., MM



JUMBO WRENCHES

Cat. No.	Description
CJCW0	Jumbo Combination Wrench, 1-5/16"
CJCW1	Jumbo Combination Wrench, 1-3/8"
CJCW2	Jumbo Combination Wrench, 1-7/16"
CJCW3	Jumbo Combination Wrench, 1-1/2"
CJCW4	Jumbo Combination Wrench, 1-5/8"
CJCW5	Jumbo Combination Wrench, 1-11/16"
CJCW6	Jumbo Combination Wrench, 1-3/4"
CJCW7	Jumbo Combination Wrench, 1-13/16"
CJCW8	Jumbo Combination Wrench, 1-7/8"
CJCW9	Jumbo Combination Wrench, 2"

CMHTSAS INDUSTRIAL SOCKET ACCESSORY SET DISPLAY

Cat. No.	Description
CSAS8	1/4" Dr., 10 Pc. Socket Set, 6 Pt., SAE (5/32" - 1/2")
CSAS9	1/4" Dr., 10 Pc. Socket Set, 6 Pt., MM (4 - 13 mm)
CSAS10	1/4" Dr., 10 Pc. Deep Socket Set, 6 Pt., SAE (5/32" - 1/2")
CSAS11	1/4" Dr., 10 Pc. Deep Socket Set, 6 Pt., MM (4 - 13 mm)
CSAS4	3/8" Dr., 9 Pc. Socket Set, 12 Pt., SAE (1/4" - 3/4")
CSAS5	3/8" Dr., 9 Pc. Socket Set, 12 Pt., MM (9 - 19 mm)
CSAS6	3/8" Dr., 9 Pc. Deep Socket Set, 6 Pt., SAE (1/4" - 3/4")
CSAS7	3/8" Dr., 9 Pc. Deep Socket Set, 6 Pt., MM (9 - 19 mm)
CSAS0	1/2" Dr., 8 Pc. Socket Set, SAE (1/2" - 15/16")
CSAS1	1/2" Dr., 8 Pc. Socket Set, MM (12 - 21 mm)
CSAS2	1/2" Dr., 8 Pc. Deep Socket Set, SAE (1/2" - 15/16")
CSAS3	1/2" Dr., 8 Pc. Deep Socket Set, MM (12 - 21 mm)

**Crescent mechanics hand tools
are in stock and available now.
Contact your Apex rep today to
find out more.**

CFW2 2 PC. FLIP AND GRIP WRENCH SET

- Adjustable jaw fits a range of fastener sizes for a variety of projects
- Unique, spring-loaded jaw design ratchets on fasteners making projects faster and easier
- Collapsible head allows for compact storage and pocket portability
- Locking pivot helps reach around obstacles and into tight spaces



Cat. No.	Description	Weight
CFW2	Flip and Grip Wrench Set, 2 Pc.	0.97 lbs

ACL29VS 9" LIGHTED ADJUSTABLE WRENCH

- Dual LEDs in handle lights work area from both sides of wrench
- Handy on/off button recessed in handle for easy of operation
- Ergonomic handle design provides comfortable grip to reduce fatigue
- Automatic battery saver turns LEDs off after 3 minutes of no use
- Extra-wide jaw opens to 1-5/16" (33 mm)
- Locking mechanism allows for use as a standard adjustable wrench
- Large hang-hole makes storage easy



Cat. No.	Description	Weight
ACL29VS	Lighted Adjustable Wrench, 9"	0.84 lbs

ATR28 8" RATCHETING ADJUSTABLE WRENCH

- Turns nuts and bolts without removing wrench from fastener
- Movable jaw works on any 4 or 6 point fastener up to 1-1/4"
- Locking mechanism allows for use as a standard adjustable wrench
- Ergonomic handle for comfort, promotes proper use



Cat. No.	Description	Weight
ATR28	Ratcheting Adjustable Wrench, 8"	0.73 lbs

ODD JOB™ MULTI-TOOL

- Includes most commonly used household tools in one unit
- Removable utility knife opens and breaks down boxes and cuts tape
- Fine tooth ratcheting screwdriver with 7 bits and bit storage
- Steel hammer head and integrated nail puller
- Soft-faced mallet for non-marring adjustment



Cat. No.	Description	Weight
CMT1000	Odd Job™ Multi-tool	1.33 lbs
CMT1000MP	Odd Job™ Multi-tool, Pack 6, Countertop Display	7.99 lbs



CX6PT20 20 PC. X6™ PASS-THRU RATCHET & SOCKET SET

- Pass-thru socket and ratchet system eliminates the need for deep sockets
- Unlimited pass through for bolts and studs
- Fits 6 fastener types: Hex, Square, 12 pt., E-Torx®, Rounded Hex, Spline
- Up to 40% stronger than standard ratchets
- 5° ratcheting arc provides great access to fasteners
- Up to 50% thinner than standard ratchets for greater access
- Adapter converts X6 to a standard ratchet for traditional square drive sockets



Description	Qty.
Low-Profile Ratchet	1
SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	10
Metric Sockets: 10, 11, 12, 13, 14, 15, 17, 18, 19 mm	9
Storage Rack	1



X6™

2 PC. X6™ 4-IN-1 RATCHETING WRENCH SETS

- Innovative stepped box ends deliver access and clearance
- 5 degree ratcheting arc provides great access to fasteners
- Fits 6 fastener types - Hex, Square, 12 pt., E-Torx®, Rounded Hex, and Spline
- Smooth profile allows for more torque to be comfortably applied to the fastener

Cat. No.	Description	Weight
CX6DBS2	X6 Ratcheting Wrench Set, 2 Pc., SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"	1.10 lbs
CX6DBM2	X6 Ratcheting Wrench Set, 2 Pc., Metric: 8, 10, 12, 13, 14, 15, 17, 19 mm	1.10 lbs



X6™

7 PC. X6™ RATCHETING OPEN END WRENCH SETS

- Ratcheting open end turns nuts and bolts without removing wrench from fastener
- Fits 6 fastener types - Hex, Square, 12 pt., E-Torx®, Rounded Hex, and Spline
- Smooth profile allows for more torque to be comfortably applied to the fastener

Cat. No.	Description	Weight
CX6RWS7	X6 Ratcheting Wrench Set, 7 Pc., SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16"	2.64 lbs
CX6RWM7	X6 Ratcheting Wrench Set, 7 Pc., Metric: 8, 10, 12, 13, 14, 15, 17 mm	2.64 lbs



X6™

Introducing Crescent® Mechanics Hand Tools.

Quality and Value, from a name your customers trust.



With its recognized name, legendary quality, and competitive pricing, Crescent provides a unique value for independent distributors.

DISTRIBUTED BY

Dunlap Sunbrand International, Inc.
P.O. Box 751
Hopkinsville, KY 42240

Www.DSInternational.Com
Info@DSInternational.Com
(800) 626-9200

